




SERVICE PARTS MANUAL



ELECTRIC POWERED CARGO AND PERSONNEL CARRIERS

STARTING MODEL YEAR: 1994

REVISED: 4/99

SERVICE PARTS MANUAL

ELECTRIC POWERED CARGO AND PERSONNEL CARRIERS

CARGO CARRIERS

*XI - 775

XI - 875

XI - 881

PERSONNEL CARRIERS

PCX - 952

PCX - 954

PCX - 955

PCX - 956

PCX - 957

CARGO/PERSONNEL CARRIER

XI - 875P

BEVERAGE CARRIER

BCX - 960

* NOT AVAILABLE FOR 1995 MODEL YEAR

CUSTOMER SERVICE DEPARTMENT PHONE 1-800-227-7029 FAX 1-800-752-6175 E-Z-GO DIVISION OF TEXTRON, INC., P.O.BOX 388, AUGUSTA, GEORGIA 30903-0388, 1-800-241-5855

LIMITED WARRANTY

WARRANTY

TO OBTAIN A COPY OF THE LIMITED WARRANTY THAT IS APPLICABLE TO THE VEHICLE, CALL OR WRITE THE LOCAL DISTRIBUTOR, BRANCH OR E-Z-GO WARRANTY DEPARTMENT WITH VEHICLE SERIAL NUMBER AND MANUFACTURE CODE.

THE USE OF NON E-Z-GO PARTS MAY VOID THE WARRANTY.

OVERFILLING OF BATTERIES MAY VOID THE WARRANTY.

| SECTIONS | Page No. |
|---|----------|
| How to use the E-Z-GO Service Manual | vii |
| ACCELERATOR PEDAL ASSEMBLY Accelerator Pedal Accelerator Rod Potentiometer | A-1 |
| BATTERY CHARGER, TOTAL CHARGE® III, 36 VOLT (UL) CSA, ONBOARD • Heatsink • Diode • Electronic Module | B-1 |
| BATTERY CHARGER, TOTAL CHARGE® III, 36 VOLT (UL) CSA, PORTABLE • Heatsink • Diode • Electronic Module | C-1 |
| BRAKES, HYDRAULIC, FRONT • Brake Shoes • Hub and Drum | D-1 |
| BRAKES, HYDRAULIC, REAR • Brake Linkage • Brake Pedal • Master Cylinder | E-1 |
| BRAKES, MECHANICAL • Brake Linkage • Brake Pedal • Brake Yoke | F-1 |
| Ontact Board Handle Kit Reverse Warning Buzzer | G-1 |
| Charger Wire Harness Receptacle Holder Headlamp and Turn signal State of Charge Meter Horn Switch Ignition Switch and Key | H-1 |

| Illustrated Parts Breakdown: | Page No. |
|--|----------|
| Speed Controller Solenoid | J-1 |
| FRONT SUSPENSION • Front Axle • Leaf Spring | K-1 |
| HINGED LOAD DECK (XI - 875, XI - 875P AND XI - 881) • Deck • Support Rod | L-1 |
| HINGED LOAD DECK (XI - 775) Deck Support Rod | L-7 |
| Cowl Instrument Panel Deck Frame Bar Assembly Front Seat 4-Cup Console Bolt on Body Panels | M-1 |
| MOTOR • Armature • Bearings • Brush | N-1 |
| REAR AXLE, HYDRAULIC BRAKES • Rear Axle • Axle Shaft | P-1 |
| REAR AXLE, MECHANICAL BRAKES • Rear Axle • Axle Shaft | P-4 |
| REAR SUSPENSION • Leaf Spring • Shock Absorber | Q-1 |
| SEATING, BENCH • Seat • Hinge | R-1 |

| Illustrated Parts Breakdown:Page No. | |
|--|--|
| SEATING, CONVERTIBLE | |
| SEATING, FRONT (PCX - 952, PCX - 954, PCX - 955, PCX - 956, PCX - 957 AND BCX - 960) | |
| SEATING, FRONT (XI - 775, XI - 875, XI - 875P AND XI - 881) | |
| SEATING, PEDESTAL | |
| STEERINGS-1 • Rack and Rod • Steering Wheel • Tie Rod | |
| WHEELS AND TIRES | |
| SPECIAL TOOLS LISTINGAppendix-A | |
| VEHICLE SPECIFICATIONS | |

HOW TO USE THE E-Z-GO SERVICE PARTS MANUAL

This manual is divided into several sections:

- GENERAL INFORMATION
- ILLUSTRATED PARTS BREAKDOWN FOR ELECTRIC POWERED CARGO AND PERSONNEL CARRIERS
- APPENDIX

The first section, GENERAL INFORMATION, contains the following information:

- **•WARRANTY INFORMATION**
- •GENERAL INDEX
- •HOW TO USE THE E-Z-GO SERVICE PARTS MANUAL

The second section, ILLUSTRATED PARTS BREAKDOWN (IPB) FOR THE ELECTRIC POWERED CARGO AND PERSONNEL CARRIERS, contains illustrations and parts lists for all systems of the vehicle.

The third section, SERVICE ACCESSORIES AND SPECIAL TOOLS, contains a listing of E-Z-GO service accessories and special tools and that may be purchased from the company to aid in the servicing of the vehicle.

USE OF THE MANUAL


To use this manual, consult the GENERAL INDEX to locate the information or illustration required.

Introduction of some revisions varies due to supply of components; therefore, it is possible that various combinations of components may be found that are not directly reflected by each illustration. Consult the illustration that best suits your situation and then contact the Service Parts Department. It is important that the serial number of your vehicle and its model number be supplied to Service Parts when ordering any replacement components.

Locate the serial number plate (see Model Details located in the IPB section of this manual for its location) and note the complete vehicle serial number and manufacture code shown on the plate.

All relevant systems are listed in the General Index and has an alphabetical prefix. The illustration always appears first and is followed by its related parts list. Additional illustrations and parts lists with the same prefix indicate significant changes that have taken place since the last issue.

HOW TO USE THE E-Z-GO SERVICE PARTS MANUAL



1. WHEN THE PART NUMBER IS NOT KNOWN

- Determine the function and application of the part required. Turn to the General Index and select the most appropriate title.
- Turn to the page number indicated and locate the desired part on the illustration.
- From the illustration, obtain the item number assigned to the desired part. Refer to the accompanying description for specific information regarding the part.

2. IF YOU KNOW THE PART NUMBER

•Locate the part number or description in the appropriate column on the parts list page.


NOTE: It is suggested that you confirm that the part selected is correct by verifying it with the pictorial representation on the illustrated page.

Should an asterisk (*) appear in the part number column on the parts list page, read upwards until a part number is found. The part number is the *lowest* assembly sold by E-Z-GO and the asterisk (*) indicates that the part depicted is not available for sale by E-Z-GO.


NOTE: Descriptions are *indented* under the assembly that they are used on. That assembly is, in turn listed under the assembly that it is used on. This process is repeated until the highest *final assembly* is reached.

To facilitate the maintenance and repair of the vehicle, a Technician's Repair and Service Manual (E-Z-GO p/n 28184-G01) is available from the E-Z-GO Service Parts Department.

| ILLUSTRATED PARTS BREAKDOWN |
|-----------------------------|
| |



ACCELERATOR PEDAL ASSEMBLY



THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING.
When ordering parts, please specify the model and serial number of the product.

* Indicates a component that is not available as a individual part.

G** Indicates consult Customer Service Department for additional information.

MODEL

ALL MODELS
UNLESS SPECIFIED

| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. |
|------|-----------|---|------|
| 1 | 33289-G01 | ACCELERATOR ROD ASSEMBLY (INCLUDES ITEMS 2 - 8) | 1 |
| 2 | 00544-G4 | NUT, 5/16 - 24 | 2 |
| 3 | 10385-G4 | YOKE, CLEVIS (ADJUSTABLE ENDS) | 1 |
| 4 | 14444-G3 | BALL JOINT, SOCKET, 5/16 - 24 | 1 1 |
| 5 | 17675-G1 | SPRING, COMPRESSION | 1 |
| 6 | 17677-G1 | RETAINER, SPRING | 2 |
| ,7 | 17979-G1 | BUSHING, ACCELERATOR ROD | 1 |
| 8 | 32262-G1 | ROD, ACCELERATOR | 1 |
| 9 | 33509-G01 | PEDAL, ACCELERATOR | 1 |
| 10 | 32440-G2 | PIN, ACCELERATOR PEDAL | 1 |
| 11 | 17838-G4 | BUSHING, PEDAL | 2 |
| 12 | 12064-G2 | PUSHNUT, 1/4 | 1 |
| 13 | 10386-G3 | PIN, CLEVIS, 5/16 X 3/4 LG | 1 |
| 14 | 10387-G3 | PIN, COTTER, 3/32 X 3/4 LG | 2 |
| 15 | | | |
| 16 | | | |
| 17 | 17838-G1 | BUSHING | 2 |
| 18 | 33259-G01 | SUPPORT, ACCELERATOR PIVOT | 1 |
| 19 | 33512-G01 | BELLCRANK, ACCELERATOR | 1 |
| 20 | 00415-G4 | SCREW, 1/4 - 20 X 1 1/2 LG | 2 |
| 21 | | | |
| 22 | 32979-G1 | POTENTIOMETER ASSEMBLY (INCLUDES ITEMS 23 - 55) | 1 |
| 23 | 00645-G1 | SCREW, #6 - 32 X 1 LG | 2 |
| 24 | 00372-G2 | SCREW, #8 - 32 X 1/4 LG | 1 |
| 25 | 00525-G5 | NUT, #6 - 32 | 2 |
| 26 | 00526-G4 | NUT, #10 - 32 | 2 |
| 27 | | | |
| 28 | 00559-G4 | WASHER, #8 | 2 |
| 29 | 00565-G3 | WASHER, LOCK, #6 | 2 |
| 30 | 00567-G3 | WASHER, LOCK, #6 | 2 |

ACCELERATOR PEDAL ASSEMBLY

THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING.
When ordering parts, please specify the model and serial number of the product.
* Indicates a component that is not available as an individual part.

G** Indicates consult Customer Service Department for additional information.

MODEL

ALL MODELS
UNLESS SPECIFIED


| ITEM PART NO. 31 10606-G5 32 11098-G9 33 * 34 * 35 14628-G1 36 15944-G3 37 17064-G1 38 * 39 20930-G5 40 22587-G7 41 00526-G4 42 * 43 22602-G6 44 24465-G1 45 24479-G1 46 * 47 25460-G1 48 26937-G01 | 1 2 3 4 5 DESCRIPTION MICRO SWITCH | 2 |
|---|--|-------|
| 32 11098-G9 33 * 34 35 14628-G1 36 15944-G3 37 17064-G1 38 39 20930-G5 40 22587-G7 41 00526-G4 42 43 22602-G6 44 24465-G1 45 24479-G1 46 47 25460-G1 | NUT, LOCK, 5/16 - 24 SCREW TAB, FASTON BALL, BALL JOINT TERMINAL, PUSHON WIRE | 2 |
| 33 | SCREW TAB, FASTON BALL, BALL JOINT TERMINAL, PUSHON WIRE | 2 2 1 |
| 34 35 14628-G1 36 15944-G3 37 17064-G1 38 39 20930-G5 40 22587-G7 41 00526-G4 42 43 22602-G6 44 24465-G1 45 24479-G1 46 47 25460-G1 | TAB, FASTONBALL, BALL JOINTTERMINAL, PUSHON | 2 |
| 35 | BALL, BALL JOINT TERMINAL, PUSHON | 1 |
| 36 | BALL, BALL JOINT TERMINAL, PUSHON | 1 |
| 37 17064-G1 38 39 20930-G5 40 22587-G7 41 00526-G4 42 43 22602-G6 44 24465-G1 45 24479-G1 46 47 25460-G1 | TERMINAL, PUSHON | |
| 38 39 | WIRE | 2 |
| 39 20930-G5 40 22587-G7 41 00526-G4 42 43 22602-G6 44 24465-G1 45 24479-G1 46 47 25460-G1 | | |
| 40 22587-G7 41 00526-G4 42 43 22602-G6 44 24465-G1 45 24479-G1 46 47 25460-G1 | | |
| 41 00526-G4 42 43 22602-G6 44 24465-G1 45 24479-G1 46 47 25460-G1 | ASSEMBLY ADJUSTING DOD | 1 |
| 42 43 22602-G6 44 24465-G1 45 24479-G1 46 47 25460-G1 | (INCLUDES ITEMS 41 - 44) | 1 |
| 43 22602-G6 44 24465-G1 45 24479-G1 46 47 25460-G1 | NUT, #10 - 32 | 2 |
| 44 24465-G1 45 24479-G1 46 47 25460-G1 | | |
| 45 24479-G1 46 47 25460-G1 | ROD, ADJUSTING | 1 |
| 46 47 25460-G1 | SOCKET | 2 |
| 47 25460-G1 | BALL, STUD | 2 |
| | | |
| 48 26937-G01 | POTENTIOMETER | 1 1 |
| | POTENTIOMETER MICRO SWITCH BRACKET | 1 |
| 49 32438-G1 | BRACKET, SUPPORT | 1 |
| 50 | | |
| 51 33532-G01 | PIVOT ARM | 1 |
| 52 00379-G4 | SCREW, #10 - 24 X 1/2 LG | 3 |
| 53 00526-G3 | NUT, #10 - 24 | 3 |
| 54 00559-G5 | WASHER, #10 | 3 |
| 55 00565-G5 | WASHER, LOCK, #10 | 3 |
| 56 | | |
| 57 00559-G8 | WASHER, 5/16 | 1 1 |
| 58 14390-G4 | NUT, LOCK, 1/4 - 20 | 6 |
| 59 00559-G7 | WASHER, 1/4 | 2 |


THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING.
When ordering parts, please specify the model and serial number of the product.
* Indicates a component that is not available as a individual part.
G** Indicates consult Customer Service Department for additional information.

MODEL
ALL MODELS
UNLESS SPECIFIED

| ITEM | PART NO. | tomer Service Department for additional information. 1 2 3 4 5 DESCRIPTION | QTY. |
|------|-----------|---|------|
| 60 | 00439-G6 | SCREW, 5/16 - 18 X 1 3/4 LG | 1 |
| 61 | 00439-G0 | 30REW, 5/10 - 16 X 1 3/4 EG | |
| 62 | 11 098-G6 | NUT, LOCK, 5/16 - 18 | 2 |
| 63 | 33517-G01 | PEDAL LINK ASSEMBLY (FOR USE ON 775, 875, 875P AND 881 MODELS ONLY) INCLUDES ITEMS 65, 67 AND 68 | 1 |
| 64 | 33517-G02 | PEDAL LINK ASSEMBLY (FOR USE ON 952, 954, 955, 956, 957 AND 960 MODELS ONLY) INCLUDES ITEMS 65 - 67 | 1 |
| 65 | 00544-G2 | NUT, 1/4 - 28 | 2 |
| 66 | 33514-G02 | ROD, LINK | 1 |
| 67 | 10089-G2 | BALL JOINT (COMPLETE) | 2 |
| 68 | 33514-G01 | ROD, LINK | 1 1 |
| 69 | 00661-G5 | SCREW, STAINLESS STEEL, 1/4 - 20 X 5/8 LG. (METAL BODIED VEHICLES ONLY) | 2 |
| 70 | 00734-G2 | NUT, LOCK, 1/4 - 28 | 2 |
| 71 | 00660-G7 | WASHER, STAINLESS STEEL, 1/4 | 2 |
| 72 | | | |
| 73 | | | |
| 74 | 21531-G1 | STRIP, ABRASIVE | 1 |
| 75 | | | |
| 76 | 21122-G1 | SPACER | 1 |
| 77 | 17255-G1 | WASHER, TEFLON | 1 |
| 78 | 33519-G01 | PLATE, BACKING (FIBERGLASS BODIED VEHICLES ONLY) | 1 |
| 79 | | | |
| 80 | 00661-G8 | SCREW, STAINLESS STEEL, 1/4 - 20 X 1 LG. (FIBERGLASS BODIED VEHICLES ONLY) | 2 |
| | | | |
| | | | |
| : | | | |
| | | | |

ACCELERATOR PEDAL ASSEMBLY





THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING.
When ordering parts, please specify the model and serial number of the product.
* Indicates a component that is not available as a individual part.
G** Indicates consult Customer Service Department for additional information.

MODEL
775 | 952 | 956 | 875/P | 954 | 957 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 950 | 95

| a** Indica | ates consult Cus | tomer Service Department for additional information. | 875/P 881 | 954 955 | 957 960 |
|------------|------------------|---|--------------|------------|------------|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. | |
| 1 | 26988-G01 | BATTERY CHARGER, 36 V, TOTAL CHARGE III, ONBOARD (INCLUDES ITEMS 3 - 102) | 1 | _ | - |
| 2 | 26989-G01 | BATTERY CHARGER, 36 V, TOTAL CHARGE III, ONBOARD (INCLUDES ITEMS 3 - 102) | - | 1 | 1 |
| 3 | 22052-G1 | D.C. CORD ASSEMBLY (INCLUDES ITEMS 4 - 6) | 1 | 1 | 1 |
| 4 | 18782-G1 | CONNECTOR, BLACK | 1 | 1 | 1 |
| 5 | * | D.C.CORD | 1 | 1 | 1 |
| 6 | 27815-G01 | CONTACT, CHARGER CONNECTOR | 2 | 2 | 2 |
| 7 | 13557-G3 | STRAIN RELIEF (D.C. CORD) | 1 | 1 | 1 |
| 8 | | | | | |
| 9 | 24920-G1 | CHASSIS (SIDE MOUNT) | 1 | - | - |
| 10 | 32830-G1 | CHASSIS (FRONT MOUNT) | - | 1 | 1 |
| 11 | | | | | |
| 12 | 19092-G2 | TOP | 1 | 1 | 1 |
| 13 | | | | | |
| 14 | 00614-G4 | SCREW, #8 - 18 X LG | 10 | 10 | 10 |
| 15 | | | | | |
| 16 | | | | | |
| 17 | | | | | |
| 18 | | | | | |
| 19 | | | | | |
| 20 | | | | | |
| 21 | | | | | |
| 22 | * | LABEL, OPERATING INSTRUCTIONS (SERIALIZED) | 1 | 1 | 1 |
| 23 | 00372-G3 | SCREW, #8 - 32 X 3/8 LG | 1 | 1 | 1 |
| 24 | 12914-G1 | TAB, FASTON | 1 | 1 | 1 |
| 25 | 00565-G4 | WASHER, LOCK, #8 | 1 | 1 | 1 |
| 26 | 00526-G1 | NUT, #8 - 32 | 1 | 1 | 1 |
| 27 | | | | | |
| 28 | 00372-G6 | SCREW, #8 - 32 X 3/4 LG | 2 | 2 | 2 |
| 29 | 00565-G4 | WASHER, LOCK, #8 | 2 | 2 | 2 |

BATTERY CHARGER, ONBOARD

THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. MODEL When ordering parts, please specify the model and serial number of the product. 775 952 956 * Indicates a component that is not available as an individual part. 875/P 954 957 G** Indicates consult Customer Service Department for additional information. 881 955 960 **ITEM** PART NO. 1 2 3 4 5 DESCRIPTION QTY. 30 00526-G1 NUT, #8 - 32..... 2 2 2 31 32 00378-G4 SCREW, #10 - 24 X 1/ 2 LG. 1 1 WASHER, LOCK, #10 33 00565-G5 1 1 34 00526-G3 NUT, #10 - 24..... 1 1 35 36 00512-G7 SCREW, #8 - 18 X 7/8 LG. 3 3 37 38 18768-G1 HEAT SINK ASSEMBLY (INCLUDES ITEMS 39 - 43) 1 1 39 18489-G1 HEAT SINK..... 1 1 1 40 00532-G2 NUT, 1/4 - 28..... 2 2 41 00567-G7 WASHER, LOCK, #12..... 2 2 2 11572-G2 42 NUT, LOCK 3 3 3 43 18488-G1 DIODE, SILICON RECTIFIER 2 2 2 44 17077-G1 45 CAPACITOR..... 1 1 46 11559-G1 BRACKET, CAPACITOR 1 1 1 47 00372-G4 SCREW, #8 - 32 X 1/2 LG. 2 2 48 00565-G4 WASHER, LOCK, #8 2 2 00526-G1 NUT, #8 - 32..... 49 2 2 50 19362-G1 51 CIRCUIT BREAKER (INCLUDES ITEMS 52 - 53) 1 1 1 52 00526-G4 NUT, #10 - 32 53 00559-G5 WASHER. #10..... 4

54

55

56

57

58

59

19441-G1

25772-G01

24243-G1

00526-G4

00565-G5

WIRE

LABEL, CHARGER WARNING

AMMETER (INCLUDES BRACKET)

NUT, #10 - 32.....

WASHER, LOCK, #10

1

1

1

2

2

1

1

2

2

1

1

1

2

2

THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING.
When ordering parts, please specify the model and serial number of the product.

* Indicates a component that is not available as a individual part.

G** Indicates consult Customer Service Department for additional information.

**

MODEL

775 | 952 | 956 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 957 | 9

| G** Indica | ates consult Cus | tomer Service Department for additional information. | 881 | 955 | 960 |
|------------|------------------|--|-----|------|-----|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. | |
| 60 | 12914-G1 | TAB, FASTON | 2 | 2 | 2 |
| 61 | 00525-G5 | NUT, #6 - 32 | 2 | 2 | 2 |
| 62 | | | | | |
| 63 | 19388-G3 | A.C. CORD | 1 | 1 | 1 |
| 64 | 13557-G2 | STRAIN RELIEF (A.C. CORD) | 1 | 1 | 1 |
| 65 | | | | | |
| 66 | 19434-G1 | LABEL, FUSE I.D | 1 | 1 | 1 |
| 67 | | | | | |
| 68 | 26962-G01 | BLOCK, TERMINAL | 1 | 1 | 1 |
| 69 | 00987-G06 | SCREW, #6 - 32 X 3/4 LG | 2 | 2 | 2 |
| 70 | 00565-G3 | WASHER, LOCK, #6 | 2 | 2 | 2 |
| 71 | 00525-G5 | NUT, #6 - 32 | 2 | 2 | 2 |
| 72 | | | | | |
| 73 | 19928-G1 | TRANSFORMER | 1 | 1 | 1 |
| 74 | 00414-G5 | SCREW, 1/4 - 20 X 5/8 LG | 4 | 4 | 4 |
| 75 | 11027-G2 | NUT, LOCK, 1/4 - 20 | 4 | 4 | 4 |
| 76 | | | | | |
| 77 | 19402-G1 | WIRE | 1 | 1 | 1 |
| 78 | | • | | | |
| 79 | | | | | |
| 80 | | | | | |
| 81 | | | | | |
| 82 | 19950-G1 | ELECTRONIC MODULE ASSEMBLY (INCLUDES ITEMS 84 - 86) | 1 | 1 | 1 |
| 83 | | | | | |
| 84 | 27877-G01 | SPACER, SUPPORT | 4 | 4 | 4 |
| 85 | 19459-G1 | BRACKET | 1 | 1 | 1 |
| 86 | 27417-G01 | ELECTRONIC MODULE | 1 | 1 | 1 |
| 87 | 19361-G1 | FUSE | 1 | 1 | 1 |
| 88 | 19363-G1 | FUSE BLOCK | 1 | 1 | 1 |
| | | | | | |

BATTERY CHARGER, ONBOARD

THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING.
When ordering parts, please specify the model and serial number of the product.


* Indicates a component that is not available as an individual part.


G** Indicates consult Customer Service Department for additional information.

MODEL

775 | 952 | 956 | 875/P | 954 | 957 | 960

| G** Indica | ates consult Cus | tomer Service Department for additional information. | 881 | 955 | 960 |
|------------|------------------|--|-----|------|-----|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. | |
| 89 | 26320-G01 | VARISTOR, MOV | 2 | 2 | 2 |
| 90 | 00372-G5 | SCREW, #8 - 32 X 5/8 LG | 2 | 2 | 2 |
| 91 | 00565-G4 | WASHER, LOCK, #8 | 2 | 2 | 2 |
| 92 | 00526-G4 | NUT, #8 - 32 | 2 | 2 | 2 |
| 93 | | | | | |
| 94 | 21971-G1 | RELAY | 1 | 1 | 1 |
| 95 | 00138-G5 | SCREW, #6 - 32 X 5/8 LG | 2 | 2 | 2 |
| 96 | 00565-G3 | WASHER, LOCK, #6 | 2 | 2 | 2 |
| 97 | 00525-G5 | NUT, #6 - 32 | 2 | 2 | 2 |
| 98 | * | WIRE | 1 | 1 | 1 |
| 99 | * | WIRE | 1 | 1 | 1 |
| 100 | 22992-G1 | WIRE | 1 | 1 | 1 |
| 101 | 25977-G07 | WIRE | 1 | 1 | 1 |
| 102 | 26340-G01 | WIRE | 1 | 1 | 1 |
| 103 | | | | | |
| 104 | 30470-G1 | CHARGER SUPPORT | 1 | 1 | 1 |
| 105 | 32478-G1 | MOUNT, ISOLATION | 4 | 4 | 4 |
| 106 | 30468-G1 | REINFORCEMENT | 1 | 1 | 1 |
| 107 | | | | | |
| 108 | 13437-G4 | SCREW, LOCK, 3/8 - 16 X 1 LG | 2 | 2 | 2 |
| 109 | 22281-G3 | TRIM, 1 1/2 LG | 2 | 2 | 2 |
| 110 | 16705-G4 | SCREW, STAINLESS STEEL | 4 | 4 | 4 |
| 111 | 00660-G7 | WASHER, STAINLESS STEEL, 1/4 | 4 | 4 | 4 |
| 112 | 00565-G7 | WASHER, LOCK, 1/4 | 4 | 4 | 4 |
| 113 | | | | | |
| 114 | 17618-G1 | CLAMP, NYLON | 1 | 1 | 1 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | <u> </u> | | | | |





THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING. MODEL When ordering parts, please specify the model and serial number of the product. * Indicates a component that is not available as a individual part. **APPLICABLE** G** Indicates consult Customer Service Department for additional information. **ITEM** PART NO. 1 2 3 4 5 DESCRIPTION QTY. BATTERY CHARGER ASSEMBLY, TOTAL CHARGE® III, 1 26984-G01 PORTABLE 36V, 10 FT. D.C. CORD (INCLUDES ITEMS 3 - 95) 1 1 1 2 TOP COVER..... 3 19096-G1 4 24919-G1 CHASSIS 1 5 6 LABEL, OPERATING INSTRUCTIONS (SERIALIZED) 7 8 17077-G1 CAPACITOR (WITH MOUNTING BRACKET) 1 1 9 00372-G4 SCREW, #8 - 32 X 1/2 LG. 10 2 2 WASHER, LOCK, #8 00565-G4 2 11 2 NUT, #8 - 32..... 12 00526-G1 13 18768-G1 HEATSINK 14 1 DIODE, SILICON RECTIFIER 18488-G1 15 2 2 00567-G7 WASHER, LOCK, 1/4 16 2 2 17 00532-G2 NUT, 1/4 - 28..... 2 2 11572-G2 NUT, PLASTIC 18 3 3 19 00525-G5 NUT, #6 - 32..... 2 2 SCREW, #6 - 32 X 3/8 LG. 00138-G3 20 2 2 21 22 23 00567-G3 WASHER, LOCK, #6 2 2 00525-G5 NUT, #6 - 32..... 2 24 2 25 00512-G7 SCREW, SELF DRILL AND TAP, #8 X 7/8 LG..... 26 3 3 SCREW, #10 - 24 X 1/2 LG. 27 00378-G4 1 1 NUT, #10 - 24..... 28 00526-G3 1 1 WASHER, LOCK, #10 29 00565-G5 1 1 1


BATTERY CHARGER, PORTABLE


| When ord | ering parts, plea | ARTS WILL VOID ANY U.L. LISTING. se specify the model and serial number of the product. | | MODE | L |
|-------------|-------------------|--|-----------------|------|---|
| * Indicates | s a component th | nat is not available as an individual part. omer Service Department for additional information. | IF APPLICABI | | |
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. | | |
| 30 | 00565-G3 | WASHER, #6 - 32 | 2 | 2 | 2 |
| 31 | 26320-G01 | VARISTOR, MOV | 2 | 2 | 2 |
| 32 | 26962-G01 | TERMINAL BLOCK | 1 | 1 | 1 |
| 33 | 00987-G06 | SCREW, #6 - 32 X 3/4 LG | 2 | 2 | 2 |
| 34 | 24243-G1 | AMMETER (INCLUDES ITEM 35) | 1 | 1 | 1 |
| 35 | * | BRACKET, AMMETER | 1 | 1 | 1 |
| 36 | 00525-G5 | NUT, #6 - 32 | 2 | 2 | 2 |
| 37 | 00565-G5 | WASHER, LOCK, #10 | 2 | 2 | 2 |
| 38 | 00526-G4 | NUT, #10 - 32 | 2 | 2 | 2 |
| 39 | | | | | |
| 40 | 19952-G1 | WIRE | 1 | 1 | 1 |
| 41 | | | | | |
| 42 | 00372-G3 | SCREW, #8 - 32 X 3/8 LG | 1 | 1 | 1 |
| 43 | 00565-G4 | WASHER, LOCK, #8 | 1 | 1 | 1 |
| 44 | 00526-G1 | NUT, #8 - 32 | 1 | 1 | 1 |
| 45 | | | | | |
| 46 | 19372-G9 | TRANSFORMER | 1 | 1 | 1 |
| 47 | 11027-G2 | NUT, LOCK, 1/4 - 20 | 4 | 4 | 4 |
| 48 | 00414-G5 | BOLT, 1/4 - 20 X 5/8 LG | 4 | 4 | 4 |
| 49 | 19388-G1 | A.C. CORD | 1 | 1 | 1 |
| 50 | 13557-G2 | STRAIN RELIEF (A.C. CORD) | 1 | 1 | 1 |
| 51 | | | | | |
| 52 | | | | | |
| 53 | 18747-G1 | D.C. CORD ASSEMBLY (INCLUDES ITEMS 54 - 56) | 1 | 1 | 1 |
| 54 | * | D.C. CORD | 1 | 1 | 1 |
| 55 | 28030-G01 | CONNECTOR, CONTACT KIT | 2 | 2 | 2 |
| 56 | 27815-G01 | CONNECTOR | 1 | 1 | 1 |
| 57 | 18972-G1 | CHARGER RECEPTACLE HANDLE KIT | 4 | | |
| F0 | * | (INCLUDES ITEMS 58, 59) | | | 1 |
| 58 | | HANDLE, HALF, L.H | 1 | 1 | 1 |


THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING. MODEL When ordering parts, please specify the model and serial number of the product. * Indicates a component that is not available as a individual part. **APPLICABLE** G** Indicates consult Customer Service Department for additional information. **ITEM** PART NO. 2 3 4 5 DESCRIPTION QTY. 59 HANDLE, HALF, R.H. 1 1 60 00647-G8 61 SCREW, STAINLESS STEEL, #6 - 32 X 29/32 LG. 2 00647-G3 62 SCREW, STAINLESS STEEL, #6 - 32 X 3/8 LG. 2 2 13521-G5 63 NUT, LOCK, #6 - 32 4 00650-G2 WASHER, #5 64 2 65 20628-G1 LABEL, CAUTION..... 1 13557-G3 STRAIN RELIEF (D.C. CORD) 66 1 67 68 00614-G4 69 SCREW, SELF DRILL AND TAP, #8 - 18 X 1/2 LG..... 10 10 10 70 19950-G1 **ELECTRONIC MODULE ASSEMBLY** (INCLUDES ITEMS 71 - 74) 1 MODULE 71 27417-G01 BRACKET 72 19459-G1 1 73 74 27877-G01 SPACER, SUPPORT..... 4 4 4 75 76 77 78 79 80 81 SPLICE, WIRE, CLOSED END 19360-G1 82 2 FUSE BLOCK 19363-G1 83 1 84 19361-G1 FUSE, 15 AMP..... LABEL. IDENTIFICATION 85 19434-G1 1 1 86 19441-G1 WIRE..... 1 87 19362-G1 CIRCUIT BREAKER, 50 AMP (INCLUDES ITEMS 88, 89) 2

BATTERY CHARGER, PORTABLE

THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. MODEL When ordering parts, please specify the model and serial number of the product. * Indicates a component that is not available as an individual part. **APPLICABLE** G** Indicates consult Customer Service Department for additional information. **ITEM** PART NO. 2 3 4 5 DESCRIPTION QTY. 88 00559-G5 WASHER, #10..... 4 4 NUT, #10 - 32 89 00526-G4 2 2 2 00565-G4 WASHER, LOCK, #8 90 2 2 2 NUT, #8 - 32..... 91 00526-G1 2 2 2 SCREW, #8 - 32 X 3/4 LG. 92 00372-G6 2 2 2 SCREW, #8 - 32 X 5/8 LG. 93 00372-G5 2 2 2 WASHER, #8..... 94 00565-G4 2 2 2 NUT, #8 - 32..... 95 00526-G1 2 2 2







BRAKES, HYDRAULIC, FRONT


| THE USE | OF NON U.L. P | PARTS WILL V | OID ANY U | .L. LISTING. serial number of the product. | MODEL | |
|-------------|-------------------|------------------|---------------|--|------------------|-----------|
| * Indicate: | s a component the | hat is not avail | able as an iı | ndividual part. t for additional information. | IF APPLICABLE | |
| ITEM | PART NO. | 1 2 3 | 4 5 | DESCRIPTION | QTY | 7. |
| 1 | 33300-G01 | | | ND STEERING, PASSENGER SIDE - 28) | 1 | |
| 2 | 33301-G01 | | | ID STEERING, DRIVER' S SIDE - 28) | 1 | |
| 3 | | | | | | |
| 4 | 32817-G1 | STUD | WITH BACK | (ING PLATE | 1 | |
| 5 | * | BLEED | ER VALVE | WITH COVER | 1 | |
| 6 | * | PLUG, | PLASTIC | | 2 | |
| 7 | | | | | | |
| 8 | 32819-G1 | BLOCK | (, ADJUSTII | NG | 2 | |
| 9 | 32820-G1 | WEDG | E | | 1 | |
| 10 | * | WASH | ER | | 1 | |
| 11 | 32821-G1 | BOLT, | M10 X 33 L | G | 1 | |
| 12 | 32998-G01 | WHEE | L CYLINDE | R | 1 | |
| 13 | 32747-G1 | SCRE\ | W, SOCKET | HEAD, M6 X 15 LG | 2 | |
| 14 | | | | | | |
| 15 | 32748-G1 | WASH | ER, LOCK, | M6 | 2 | |
| 16 | 32822-G1 | SHOE | ASSEMBLY | , | 2 | |
| 17 | 32750-G1 | SPRIN | G, RETURN | ٧ | 1 | |
| 18 | 32751-G1 | SPRIN | G, RETURN | ٧ | 1 | |
| 19 | 32823-G1 | SPRIN | G, HOLD D | OWN | 2 | |
| 20 | 32824-G1 | HUB A | ND DRUM | | 1 | |
| 21 | | | | | | |
| 22 | | | | | | |
| 23 | 32755-G1 | BEARI | NG, TAPER | ED | 1 | |
| 24 | 32756-G1 | BEARI | NG, TAPER | ED | 1 | |
| 25 | 32757-G1 | PLATE | , SEAR | | 1 | |
| 26 | 32758-G1 | NUT, C | ASTLE, M2 | 20 X 1.5 | 1 | |
| 27 | 32579-G1 | PIN, C | OTTER, 4 X | (40 LG | 1 | |
| 28 | 32760-G1 | CAP, E | UST | | 1 | |
| 1 | | I | | | | |


29


| THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING. | | | | | | MODEL | | |
|---|----------|---|---|---|---|------------------|-------------|------|
| When ordering parts, please specify the model and serial number of the product. * Indicates a component that is not available as a individual part. G** Indicates consult Customer Service Department for additional information. | | | | | | IF APPLICABLE | | |
| ITEM | PART NO. | 1 | 2 | 3 | 4 | 5 | DESCRIPTION | QTY. |


| G** Indicat | cates a component that is not available as a individual part. ndicates consult Customer Service Department for additional information. | | | | | | | |
|-------------|---|--------------------------------------|------|--|--|--|--|--|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. | | | | | |
| 30 | 00106-G6 | SCREW, #12 - 24 X 3/4 LG | 4 | | | | | |
| 31 | 00414-G6 | SCREW, 1/4 - 20 X 3/4 LG | 1 | | | | | |
| 32 | | | | | | | | |
| 33 | 11332-G2 | BRACKET, TUBE FASTENER | 2 | | | | | |
| 34 | 11456-G1 | CLIP, HOSE | 2 | | | | | |
| 35 | | | | | | | | |
| 36 | 14390-G4 | NUT, 1/4 - 20 | 1 | | | | | |
| 37 | 21103-G1 | FRAME TEE | 1 | | | | | |
| 38 | | | | | | | | |
| 39 | 30383-G1 | MALE CONNECTOR | 2 | | | | | |
| 40 | 21505-G1 | NIPPLE, MALE CONNECTOR | | | | | | |
| 41 | 33428-G01 | FITTING, SWIVEL NUT | 2 | | | | | |
| 42 | 33469-G01 | BRAKE LINE WITH NUTS, PASSENGER SIDE | 1 1 | | | | | |
| 43 | 33469-G02 | BRAKE LINE WITH NUTS, DRIVER'S SIDE | 1 | | | | | |
| 44 | | | | | | | | |
| 45 | 33473-G01 | BRAKE LINE WITH NUTS | 1 | | | | | |
| 46 | 33668-G01 | HOSE | 2 | | | | | |
| 47 | | | | | | | | |
| 48 | | | | | | | | |
| 49 | 32825-G1 | MASTER CYLINDER REPAIR KIT | AR | | | | | |
| 50 | 32746-G1 | WHEEL CYLINDER, COMPLETE | 1 | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

BRAKES, HYDRAULIC, FRONT









THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING. MODEL When ordering parts, please specify the model and serial number of the product. 881 * Indicates a component that is not available as a individual part. 955 875 G** Indicates consult Customer Service Department for additional information. 875P 957 PART NO. ITEM 1 2 3 4 5 **DESCRIPTION** QTY. BRAKE PEDAL ASSEMBLY (INCLUDES ITEMS 2 - 4)..... 1 33228-G01 1 2 33227-G01 1 PEDAL, BRAKE..... 1 3 11039-G1 PAD, BRAKE PEDAL..... 1 1 4 14269-G1 RIVET, 3/16 X 17/32" LG. 5 6 7 8 9 10 PLUG. PIPE 21503-G1 1 11 21505-G1 NIPPLE, MALE CONNECTOR..... 12 1 13 14 26469-G01 TEE, MALE BRANCH 1 15 21510-G1 SWITCH, STOP LIGHT..... 1 16 14601-G1 RIVET, 3/16 X 7/8" LG..... 17 1 WASHER, #4..... 18 00559-G5 1 13728-G1 19 RUBBER BUMPER 1 14158-G1 BOLT, SHOULDER, 1/2 X 2 3/4" LG. 20 1 21 11079-G1 BUSHING, FLANGED 2 13521-G4 NUT, LOCK, 3/8 - 16 22 1 1 13197-G1 SPRING, TORSION 23 1 1 10386-G3 PIN, CLEVIS, 5/16 X 3/4" LG. 24 10387-G3 25 PIN, COTTER, 3/32 X 3/4" LG. 2 26 27 30295-G1 LINKAGE ROD ASSEMBLY (INCLUDES ITEMS 28 - 30) 1 28 30297-G1 ROD, LINKAGE 1 00544-G4 NUT, 5/16 - 24..... 29 2 30 10385-G4 YOKE..... 2

BRAKES, HYDRAULIC, REAR

| THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. When ordering parts, please specify the model and serial number of the product. | | | | |
|---|-----------------|--|------------|------|
| * Indicates | a component the | nat is not available as an individual part. | 881 955 | 875 |
| T | | omer Service Department for additional information. | 957 | 875P |
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. |
| 31 | 32769-G1 | BRACKET, MASTER CYLINDER/PIVOT | 1 | 1 |
| 32 | 00427-G8 | BOLT, 3/8 - 16 X 2" LG | 2 | 2 |
| 33 | 00560-G1 | WASHER, 3/8 | 2 | 2 |
| 34 | 11098-G5 | NUT, LOCK, 3/8 - 16 | 2 | 2 |
| 35 | 00733-G9 | BOLT, 3/8 - 16 X 7 1/2" LG | 1 | 1 |
| 36 | 00560-G1 | WASHER, 3/8 | 2 | 2 |
| 37 | 11079-G2 | FLANGED NYLON BUSHING, 1/2 - 3/4 X 5/8" LG | 2 | 2 |
| 38 | 30292-G2 | SLEEVE, PIVOT | 1 | 1 |
| 39 | 32772-G1 | PIVOT | 1 | 1 |
| 40 | 13521-G4 | NUT, LOCK, 3/8 - 16 | 1 | 1 |
| 41 | | | | |
| 42 | 14443-G3 | CLEVIS, 5/16 X 1 1/8" LG | 1 | 1 1 |
| 43 | 10387-G3 | PIN, COTTER, 3/32 X 3/4" LG | 1 | 1 |
| 44 | 30298-G2 | PUSH ROD ASSEMBLY (INCLUDES ITEMS 45 - 47) | 1 | 1 |
| 45 | 21508-G1 | YOKE | 1 | 1 |
| 46 | 00544-G6 | NUT, 3/8 - 24 | 1 | 1 |
| 47 | 30293-G2 | PUSH ROD, 3 1/8" LG | 1 | 1 |
| 48 | | | | |
| 49 | | | | |
| 50 | 70643-G01 | MASTER CYLINDER SERVICE KIT (INCLUDES ITEMS 51 - 53) | 1 | 1 |
| 51 | * | MASTER CYLINDER | 1 | 1 |
| 52 | 32768-G1 | MASTER CYLINDER BOOT | 1 | 1 |
| 53 | 00675-G1 | WASHER, 3/8" | 1 | 1 |
| 54 | 00427-G4 | SCREW, 3/8-16 X 1 1/2" LG | 3 | 3 |
| 55 | 00560-G1 | WASHER, 3/8" | 6 | 6 |
| 56 | 11098-G5 | NUT, LOCK, 3/8 - 16 | 3 | 3 |
| 57 | | | | |
| 58 | | | | |
| 59 | 21104-G8 | BRAKE LINE, 68" LG. (EXTENDED LENGTH) | 1 | - |
| 60 | 21104-G5 | BRAKE LINE, 40" LG. (STANDARD LENGTH) |] - | 1 |
| L | | | | LL |

THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING. MODEL When ordering parts, please specify the model and serial number of the product. 881 * Indicates a component that is not available as a individual part. 955 875 G** Indicates consult Customer Service Department for additional information. 875P 957 ITEM PART NO. 1 2 3 4 5 DESCRIPTION QTY. CLIP, CABLE, INSULATED 11845-G5 3 61 00100-G6 SCREW, SELF TAPPING, #10 X 3/4" LG. 62 2 63 20367-G1 GROMMET..... 64 11332-G2 BRACKET, TUBE FASTENER 1 65 1 SCREW, SELF TAPPING, #10 X 3/4" LG. 00100-G6 66 67 11456-G1 CLIP, HOSE..... 1 HOSE, FLEXIBLE 33534-G01 1 1 68 69 BRAKE LINE, 12" LG. 70 33145-G01 1 BRAKE LINE, 20" LG. 71 33143-G01 72 11098-G6 NUT, LOCK, 5/16 - 13 1 73 74 LEVER, BRAKE 30197-G1 1 75 SCREW, 5/16 - 18 X 3/4" LG..... 76 00439-G6 11098-G6 NUT, LOCK, 5/16 - 18 2 77 78 79 14443-G1 PIN, CLEVIS, 5/16 X 1 3/8" LG. 1 80 10387-G9 PIN, COTTER, 1/16 X 1/2" LG. 1 WASHER, 5/16..... 81 00559-G8 1 1

LINK ASSEMBLY (INCLUDES ITEMS 83 - 85).....

YOKE.....

NUT, 5/16 - 24.....

LINK.....

NUT, LOCK, 5/16 - 24

WASHER, 5/16.....

BOLT, SHOULDER, 3/8 - 16 X 2 3/4" LG.....

82

83

84

85

86

87

88 89 90 30195-G1

10385-G6

00544-G4

30196-G1

11098-G9

00559-G8

14158-G1

1

1

1

1

1

1

1

BRAKES, HYDRAULIC, REAR

THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING.

When ordering parts, please specify the model and serial number of the product.

* Indicates a component that is not available as an individual part.

G** Indicates consult Customer Service Department for additional information.

MODEL

881
955
875
957

| T Indica | Tes consult ous | omer Service Department for additional information. | 957 | 875P | L |
|----------|-----------------|---|-----|------|--------|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. | |
| 91 | 11079-G1 | BUSHING, FLANGED | 2 | 2 | |
| 92 | 30221-G1 | PIVOT | 1 | 1 | |
| 93 | 00560-G3 | WASHER, 3/8 | 2 | 2 | |
| 94 | 11098-G5 | NUT, LOCK, 3/8 - 16 | 1 | 1 | |
| 95 | 30241-G2 | BRAKE LINKAGE ASSEMBLY (INCLUDES ITEMS 97 - 100, 102, 104 - 108) EXTENDED LENGTH | 1 | _ | : |
| 96 | 30241-G3 | BRAKE LINKAGE ASSEMBLY (INCLUDES ITEMS 97 - 99, 101, 103 - 108) STANDARD LENGTH | - | 1 | |
| 97 | 19038-G1 | BRAKE CABLE | 1 | 1 | |
| 98 | 10386-G3 | PIN, CLEVIS, 5/16 X 3/4" LG | 2 | 2 | |
| 99 | 10387-G3 | PIN, COTTER, 3/32 X 3/4" LG | 2 | 2 | |
| 100 | 30222-G3 | EQUALIZER/LINKAGE ROD ASSEMBLY (INCLUDES ITEMS 102, 104 - 108) EXTENDED LENGTH | 1 | _ | |
| 101 | 30222-G2 | EQUALIZER/LINKAGE ROD ASSEMBLY (INCLUDES ITEMS 103 - 108) STANDARD LENGTH | - | 1 | |
| 102 | 30295-G4 | LINKAGE ROD (INCLUDES ITEMS 104, 105) EXTENDED LENGTH | 1 | - | : : |
| 103 | 30295-G3 | LINKAGE ROD (INCLUDES ITEMS 104, 105) STANDARD LENGTH | _ | 1 | |
| 104 | 00544-G4 | NUT, 5/16 - 24 | 1 | 1 | |
| 105 | 10385-G4 | YOKE | 1 | 1 | |
| 106 | 13659-G1 | BAR, EQUALIZER | 1 | 1 | |
| 107 | 10386-G3 | PIN, CLEVIS, 5/16 X 3/4" LG | 1 | 1 | |
| 108 | 10387-G3 | PIN, COTTER, 3/32 X 3/4" LG | 1 | 1 | |
| 109 | 10387-G3 | PIN, CLEVIS, 5/16 X 3/4" LG | 3 | 3 | |
| 110 | 10387-G3 | PIN, COTTER, 3/32 X 3/4" LG | 3 | 3 | |
| 111 | | | | | |
| 112 | | | | | |
| 113 | 12305-G1 | RING, RETAINER | 4 | 4 | |
| 114 | 27291-G02 | BRAKE ASSEMBLY, PASSENGER SIDE (INCLUDES ITEMS 118 - 136) | 1 | 1 | |
| 115 | 27291-G01 | BRAKE ASSEMBLY, DRIVER'S SIDE (INCLUDES ITEMS 118 - 136) | 1 | 1 | |

881

955

MODEL

875

957 875P


THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING.
When ordering parts, please specify the model and serial number of the product.
* Indicates a component that is not available as a individual part.


G** Indicates consult Customer Service Department for additional information.

| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. | |
|------|-----------|---|----|------|--|
| 116 | | | | | |
| 117 | | | | | |
| 118 | 13465-G1 | SPRING, GREEN | 1 | 1 | |
| 119 | 13465-G2 | SPRING, RED | 1 | 1 | |
| 120 | 27290-G01 | SHOES, LINED (SET OF 2) | 1 | 1 | |
| 121 | 21086-G1 | SPIDER, TORQUE | 1 | 1 | |
| 122 | 21088-G1 | CUP, HYDRAULIC | 2 | 2 | |
| 123 | 21087-G1 | PISTON, WHEEL CYLINDER | 2 | 2 | |
| 124 | 21089-G1 | SEAL | 2 | 2 | |
| 125 | 21094-G1 | VALVE, BLEEDER | 1 | 1 | |
| 126 | 21095-G1 | SPRING, LOWER | 1 | 1 | |
| 127 | 21096-G1 | SPRING, UPPER | 2 | 2 | |
| 128 | 21097-G1 | ADJUSTER | 1 | 1 | |
| 129 | 21098-G1 | SHIELD, DUST | 1 | 1 | |
| 130 | | | | | |
| 131 | 21909-G1 | PARKING BRAKE LEVER ASSEMBLY (INCLUDES ITEMS 132 - 136) | 1 | 1 | |
| 132 | 13464-G1 | RETAINER, CLEVIS PIN | 1 | 1 | |
| 133 | 13460-G1 | LEVER, CURVED | 1 | 1 | |
| 134 | 13463-G1 | WASHER, SPRING | 1 | 1 | |
| 135 | 13462-G1 | PIN, CLEVIS | 1 | 1 | |
| 136 | 22604-G1 | LEVER, STRAIGHT | 2 | 2 | |
| 137 | 13468-G1 | CLIP | 2 | 2 | |
| 138 | | | | | |
| 139 | 14195-G1 | BOLT | 8 | 8 | |
| 140 | 21562-G1 | NUT, 5/16 - 24 | 8 | 8 | |
| 141 | 17953-G2 | DRUM, REAR, BRAKE, 1/2" STUDS | 2 | 2 | |
| 142 | | | | | |
| 143 | 14723-G1 | NUT, LUG, 1/2 - 20 | 10 | 10 | |
| 144 | 15200-G1 | WHEEL CYLINDER REBUILD KIT | AR | AR | |

Electric Vehicle

BRAKES, HYDRAULIC, REAR





| | OF NON U.L. Pering parts, plea | | | | | | a product | | MODE | L |
|------------|---|-----------------|--------|----------|--------------|----------------|---|-------------------|------------|----------|
| * Indicate | s a component that ates consult Cust | hat is not a | availa | able | as a individ | dual part. | • | 775 952 954 | 956 960 | |
| ITEM | PART NO. | l | 3 | | | DESCRIPT | | | QTY. | |
| 1 | 33228-G01 | BRAKE | PE | DAL | ASSEMBL | Y (INCLUDES IT | ΓEMS 2 - 4) | 1 | 1 | <u> </u> |
| 2 | 33227-G01 | 1 | | | | | *************************************** | 1 | 1 | |
| 3 | 11039-G1 | PAE |), BF | RAK | E PEDAL | ••••• | •••• | 1 | 1 | |
| 4 | 14269-G1 | RIV | ΈΤ, (| 3/16 | X 17/32 LO | 3 | ••••• | 2 | 2 | |
| 5 | | | | | | | | | | |
| 6 | 33555-G01 | BRAKE | sw | ITCI | H ASSEMB | LY (INCLUDES | ITEMS 7 - 16) | 1 | 1 | |
| 7 | 00645-G1 | SCI | REW | /, #6 | - 32 X 1 L | G | | 2 | 2 | |
| 8 | 00525-G5 | NU ⁻ | Т, #6 | - 32 | 2 | ••••• | | 2 | 2 | |
| 9 | 00565-G3 | WA | SHE | R, L | OCK, #6 | ••••• | | 2 | 2 | |
| 10 | 00567-G3 | WA | SHE | R, L | OCK, #6 | ••••• | ••••• | 2 | 2 | |
| 11 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 13 | 10606-G8 | МІС | RO | sw | ІТСН | ••••• | | 1 | 1 | |
| 14 | * | SCF | REW | <i>!</i> | | ••••• | | 2 | 2 | |
| 15 | 14628-G1 | TAE | B, FA | STO | ON | ••••• | | 2 | 2 | |
| 16 | 33539-G01 | SUF | PPO | RT, | BRAKE SW | VITCH | | 1 | 1 | |
| 17 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 19 | 11079-G1 | BUSHIN | IG, F | -LAI | NGED | •••••• | | 2 | 2 | |
| 20 | 14158-G1 | BOLT, S | HOU | JLD | ER, 1/2 X 2 | 2 3/4 LG | | 1 | 1 | |
| 21 | 13521-G4 | NUT, LC | OCK, | 3/8 | - 16 | ••••• | | 1 | 1 | |
| 22 | 13197-G1 | SPRING | a, TC | DRS | ION | ••••• | | 1 | 1 | |
| 23 | 14443-G2 | PIN, CL | EVIS | 3, 5/ | 16 X 3/4 L0 | 3 | | 1 | 1 | |
| 24 | 10387-G3 | PIN, CC | TTE | R, 3 | 3/32 X 3/4 L | _G | •••••• | 1 | 1 | |
| 25 | : | | | | | | | | | |
| 26 | | | | | | | | | | |
| 27 | 14601-G1 | RIVET, | 3/16 | X 7. | /8 LG | •••••• | ••••• | 1 | 1 | |
| 28 | 00559-G5 | WASHE | R, # | 10 | ••••• | ••••• | | 1 | 1 | |
| 29 | 13728-G1 | BUMPE | R, R | UBI | 3ER | ••••• | | 1 | 1 | |
| 30 | | | | | | | | | | |
| L | | | | | | | | | | <u> </u> |

THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. MODEL When ordering parts, please specify the model and serial number of the product. 775 * Indicates a component that is not available as an individual part. 956 952 G** Indicates consult Customer Service Department for additional information. 954 960 ITEM PART NO. 1 2 3 4 5 DESCRIPTION QTY. 31 30225-G1 BRAKE YOKE ASSEMBLY (INCLUDES ITEMS 32 - 36) 1 1 32 19852-G1 YOKE, BRAKE..... 1 33 11098-G6 NUT, LOCK, 5/16 - 18..... 1 1 00559-G8 34 WASHER, 5/16..... 1 1 00532-G3 35 NUT, 5/16 - 18..... 1 36 19957-G3 JAW, TURNBUCKLE 1 1 37 10386-G3 PIN, CLEVIS, 7/16 X 15/16 LG. 1 1 38 10387-G3 PIN, COTTER, 3/32 X 3/4 LG. 1 1 39 30221-G1 40 BELLCRANK..... 1 1 41 11079-G1 BUSHING..... 2 2 42 14158-G1 BOLT, SHOULDER, 1/2 X 2 3/4 LG. 1 00560-G3 43 WASHER, 3/8..... 2 2 11098-G5 44 NUT, LOCK, 3/8 - 16 1 1 45 10386-G3 PIN, CLEVIS, 5/16 X 3/4 LG. 46 1 PIN, COTTER, 3/32 X 3/4 LG. 47 10387-G4 1 48 49 30241-G1 BRAKE LINKAGE ASSEMBLY (INCLUDES ITEMS 50 - 60)..... 1 1 50 51 30295-G2 LINKAGE ROD ASSEMBLY (INCLUDES ITEMS 52 - 54) 1 1 52 10385-G4 YOKE 1 53 00544-G4 NUT, 5/16 - 24 1 1 54 30297-G2 ROD, LINKAGE, 13 3/8 LG..... 1 55 13659-G1 BAR, EQUALIZER..... 1 1 56 10386-G3 PIN, CLEVIS, 5/16 X 3/4 LG..... 1 1 10387-G3 57 PIN, COTTER, 3/32 X 3/4 LG..... 1 1 19038-G1 58 CABLE, BRAKE..... 2 2 59 10386-G3 PIN, CLEVIS, 5//16 X 3/4 LG..... 2 60 10387-G3 PIN, COTTER, 3/32 X 3/4 LG..... 2 2

THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING.

When ordering parts, please specify the model and serial number of the product.

* Indicates a component that is not available as a individual part.

G** Indicates consult Customer Service Department for additional information.

* MODEL

775

952

956

954

960

| | | tomer Service Department for additional information. | 954 | 960 | |
|------|----------|--|-----|------|--|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. | |
| 61 | 12305-G1 | RING, RETAINING | 4 | 4 | |
| 62 | 10386-G3 | PIN, CLEVIS, 5/16 X 3/4 LG | 2 | 2 | |
| 63 | 10387-G3 | PIN, COTTER, 3/32 X 3/4 LG | 2 | 2 | |
| 64 | | | | | |
| 65 | 20938-G1 | BRAKE ASSEMBLY, PASSENGER SIDE (INCLUDES ITEMS 67, 69 - 88) | 1 | 1 | |
| 66 | 20938-G2 | BRAKE ASSEMBLY, DRIVER'S SIDE (INCLUDES ITEMS 68 - 88) | 1 | 1 | |
| 67 | 22519-G1 | BACKING PLATE, PASSENGER SIDE | 1 | 1 | |
| 68 | 22518-G1 | BACKING PLATE, DRIVER'S SIDE | 1 | 1 | |
| 69 | 22516-G1 | ADJUSTER ASSEMBLY (INCLUDES ITEMS 70 - 72) | 1 | 1 | |
| 70 | 22520-G1 | ADJUSTER BODY | 1 | 1 | |
| 71 | 17287-G1 | ADJUSTING BOLT | 1 | 1 | |
| 72 | 17289-G1 | ANCHOR, PISTON | 2 | 2 | |
| 73 | 00565-G7 | WASHER, LOCK, 1/4 | 2 | 2 | |
| 74 | 13632-G1 | NUT, 6MM | 2 | 2 | |
| 75 | | | | | |
| 76 | | | | | |
| 77 | 17294-G1 | CAP, ADJUSTING BOLT | 1 | 1 | |
| 78 | 22512-G1 | LEVER | 1 | 1 | |
| 79 | 22513-G1 | PIN, LEVER | 1 | 1 | |
| 80 | 22514-G1 | RING, RETAINING | 1 | 1 | |
| 81 | 22515-G1 | BLOCK, SLIDING | 1 | 1 | |
| 82 | 22511-G1 | COVER, DUST | 1 | 1 | |
| 83 | | | | | |
| 84 | | | | | |
| 85 | 17292-G1 | PIN, TENSION | 2 | 2 | |
| 86 | 17290-G1 | SPRING, BRAKE | 2 | 2 | |
| 87 | 23398-G1 | BRAKE SHOE (SET OF 2) | 1 | 1 | |
| 88 | 17291-G1 | SPRING, SHOE, CLAMP | 2 | 2 | |
| 89 | | | | | |

BRAKES, MECHANICAL

THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING.
When ordering parts, please specify the model and serial number of the product.

* Indicates a component that is not available as an individual part.

G** Indicates consult Customer Service Department for additional information.


| ITEM | PART NO. | 1 2 3 4 5 | DESCRIPTION | QTY.

| indica | tes consuit Cusi | s consult Customer Service Department for additional information. | | | | |
|--------|------------------|---|---|------|--|--|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. | | |
| 90 | | | | | | |
| 91 | | | | | | |
| 92 | 32813-G1 | BRAKE DRUM ASSEMBLY (INCLUDES ITEMS 93 - 94) | 1 | 1 | | |
| 93 | 19862-G1 | BOLT, WHEEL | 5 | 5 | | |
| 94 | * | DRUM, BRAKE | 1 | 1 | | |
| 95 | | | | | | |
| 96 | XXXXX-XX | NUT, SLOTTED (SEE REAR AXLE SECTION FOR PART NUMBER AND QUANTITY) | х | x | | |
| 97 | xxxxx-xx | PIN, COTTER (SEE REAR AXLE SECTION FOR PART NUMBER AND QUANTITY) | X | x | | |
| 98 | | | | | | |
| 99 | 17083-G1 | BOLT, 5./16 - 24 X 3/4 LG. | 4 | 4 | | |
| 100 | 15126-G1 | NUT, LOCK, 3/16 - 24 | 4 | 4 | | |
| 101 | | | | | | |
| 102 | | | | | | |
| 103 | 30197-G1 | LEVER, BRAKE | 1 | 1 | | |
| 104 | 00439-G6 | SCREW, 5/16 - 18 X 3/4 LG | 2 | 2 | | |
| 105 | 11098-G6 | NUT, LOCK, 5/16 - 18 | 2 | 2 | | |
| 106 | | | | | | |
| 107 | 00559-G8 | WASHER, 5/16 | 1 | 1 | | |
| 108 | 10387-G3 | PIN, COTTER, 3/32 X 3/4 LG | 1 | 1 | | |
| 109 | | | | | | |
| 110 | | | | | | |
| 111 | 30195-G1 | LINK ASSEMBLY (INCLUDES ITEMS 112 - 114) | 1 | 1 | | |
| 112 | 10385-G4 | YOKE, CLEVIS | 1 | 1 | | |
| 113 | 00554-G4 | NUT, 5/16 - 24 | 1 | 1 | | |
| 114 | 30196-G1 | LINK, PARKING BRAKE | 1 | 1 | | |
| 115 | 11098-G9 | NUT, LOCK, 5/16 - 24 | 1 | 1 | | |
| 116 | 00559-G8 | WASHER, 5/16 | 1 | 1 | | |
| 117 | 33554-G01 | ASSEMBLY, HAND BRAKE SWITCH (INCLUDES ITEMS 119 - 128) | 1 | 1 | | |

THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING. When ordering parts, please specify the model and serial number of the product. * Indicates a component that is not available as a individual part. G** Indicates consult Customer Service Department for additional information.

| MODEL | | | | | | | |
|-------|-----|--|--|--|--|--|--|
| 775 | | | | | | | |
| 952 | 956 | | | | | | |
| 954 | 960 | | | | | | |


| | | | | <u> </u> |
|-----------|--|------------------------------------|---|---|
| PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. | |
| | | | İ | |
| 00139-G6 | SCREW, #6 - 32 X 1 3/4 LG. | 2 | 2 | |
| 00525-G5 | NUT, #6 - 32 | 2 | 2 | |
| | | | | |
| 00565-G3 | WASHER, LOCK, #6 | 2 | 2 | |
| 00567-G3 | WASHER, LOCK, #6 | 2 | 2 | |
| 10606-G8 | MICRO SWITCH | 1 | 1 | |
| 12806-G1 | SPACER | 2 | 2 | |
| * | SCREW | 2 | 2 | |
| 14628-G1 | TAB, FASTON | 2 | 2 | |
| 33541-G01 | PLATE, SWITCH | 1 | 1 | |
| | | | | |
| 33560-G01 | WIRE HARNESS, BRAKE SWITCH | 1 | 1 | |
| 00106-G6 | SCREW, #12 - 24 X 3/4 LG | 2 | 2 | |
| 00414-G6 | SCREW, 1/4 - 20 X 3/4 LG | 2 | 2 | |
| | | | | |
| 14390-G4 | NUT, 1/4 - 20 | 2 | 2 | |
| 17618-G1 | CLAMP, NYLON | 6 | 6 | |
| 33543-G01 | ACTUATOR, PARKING BRAKE SWITCH | 1 | 1 | |
| 00487-G3 | SCREW, 1/4 - 20 X 3/8 LG | 2 | 2 | |
| | | | | |
| 14601-G1 | RIVET, 3/16 | 1 | 1 | |
| 00559-G5 | WASHER, #4 | 1 | 1 | |
| 13728-G1 | BUMPER, RUBBER | 1 | 1 | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | 00139-G6 00525-G5 00565-G3 00567-G3 10606-G8 12806-G1 * 14628-G1 33541-G01 33560-G01 00106-G6 00414-G6 14390-G4 17618-G1 33543-G01 00487-G3 14601-G1 00559-G5 | 00139-G6 SCREW, #6 - 32 X 1 3/4 LG | 00139-G6 SCREW, #6 - 32 X 1 3/4 LG. 2 00525-G5 NUT, #6 - 32. 2 00565-G3 WASHER, LOCK, #6. 2 00567-G3 WASHER, LOCK, #6. 2 10606-G8 MICRO SWITCH. 1 12806-G1 SPACER. 2 * SCREW. 2 14628-G1 TAB, FASTON. 2 33541-G01 PLATE, SWITCH. 1 33560-G01 WIRE HARNESS, BRAKE SWITCH. 1 00106-G6 SCREW, #12 - 24 X 3/4 LG. 2 00414-G6 SCREW, 1/4 - 20 X 3/4 LG. 2 14390-G4 NUT, 1/4 - 20. 2 17618-G1 CLAMP, NYLON. 6 33543-G01 ACTUATOR, PARKING BRAKE SWITCH. 1 00487-G3 SCREW, 1/4 - 20 X 3/8 LG. 2 14601-G1 RIVET, 3/16. 1 00559-G5 WASHER, #4. 1 | 00139-G6 SCREW, #6 - 32 X 1 3/4 LG. 2 |





DIRECTION SELECTOR


| THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. When ordering parts, please specify the model and serial number of the product. * Indicates a component that is not available as an individual part. | | | | |
|---|---------------------------------------|--|---------------|--|
| * Indicates G** Indica | s a component that tes consult Cus | hat is not available as an individual part. tomer Service Department for additional information. | ALL MODELS | |
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. | |
| 1 | 32911-G1 | DIRECTION SELECTOR (INCLUDES ITEMS 3 - 30) | 1 | |
| 2 | | | | |
| 3 | 14651-G1 | CONTACT BOARD ASSEMBLY (INCLUDES ITEMS 4 - 7) | 1 | |
| 4 | 24940-G1 | STOP | 1 | |
| 5 | 00565-G7 | WASHER, LOCK, 1/4 | 2 | |
| 6 | 00414-G6 | NUT, 1/4 - 20 | 2 | |
| 7 | * | BOARD AND CONTACT, MACHINED | 1 | |
| 8 | 12835-G1 | CAM | 1 | |
| 9 | 19470-G1 | SHAFT | 1 | |
| 10 | 00560-G1 | WASHER, 3/8 | 1 | |
| 11 | 14390-G1 | NUT, LOCK, 3/8 - 24 | 1 | |
| 12 | | | | |
| 13 | 00138-G5 | SCREW, #6 - 32 X 5/8 LG. | 2 | |
| 14 | | | | |
| 15 | | | | |
| 16 | 00139-G6 | SCREW, #6 - 32 X 1 3/4 LG | 4 | |
| 17 | 12806-G1 | SPACER, MICRO SWITCH | 4 | |
| 18 | 00565-G3 | WASHER, LOCK, #6 | 4 | |
| 19 | 00525-G5 | NUT, #6 - 32 | 4 | |
| 20 | | | | |
| 21 | | | | |
| 22 | * | SCREW, BRASS | 4 | |
| 23 | | | | |
| 24 | | | | |
| 25 | 30278-G1 | BRACKET, BUZZER | 1 | |
| 26 | 17940-G1 | BUZZER, REVERSE WARNING | 1 | |
| 27 | 00138-G4 | SCREW, #6 - 32 X 1/2 LG | 4 | |
| 28 | 00567-G3 | WASHER, LOCK, #6 | 4 | |
| 29 | 00525-G5 | NUT, #6 - 32 | 4 | |
| 30 | 10606-G4 | MICRO SWITCH, HEAVY DUTY | 2 | |
| | · · · · · · · · · · · · · · · · · · · | | | |


| When ord | lering parts, plea | PARTS WILL VOI | odel and | serial number of the product. | MODI | EL |
|------------|--------------------|--------------------|-------------|---|-------------|-----------|
| * Indicate | s a component the | hat is not availab | le as a ind | dividual part. for additional information. | ALL MODE | |
| ITEM | PART NO. | 1 2 3 4 | 5 | DESCRIPTION | QTY | '. |
| 31 | | | | | | T |
| 32 | 19886-G1 | HANDLE, DIR | ECTION | SELECTOR | 1 | |
| 33 | 00740-G4 | SCREW, #10 | - 32 X 1/2 | LG | 1 | |
| 34 | 00559-G7 | | | 34 - 36 ARE FOR USE ON 952, 954, DELS ONLY) | 3 | |
| 35 | 14390-G4 | NUT, LOCK, 1 | /4 - 20 | | 3 | |
| 36 | 21976-G1 | | | ELECTOR (FOR USE ON 952, 954, 955, DELS ONLY) | 1 | |
| 37 | 30318-G2 | | | 3 ARE FOR USE ON 775, 875, 875P LY) | 3 | |
| 38 | 00774-G1 | SCREW, 1/4 - | 20 X 3 L | G | 3 | |
| 39 | 00559-G7 | WASHER, 1/4 | | | 3 | |
| 40 | 14390-G4 | NUT, LOCK, 1 | /4 | | 3 | |
| 41 | 30393-G1 | | | SEMBLY (INCLUDES ITEMS 42 - 43) , 875P AND 881 MODELS ONLY | 1 | |
| 42 | 21976-G1 | LABEL, D | RECTION | N SELECTOR | 1 | |
| 43 | * | PLATE, LA | ABEL | | 1 | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 1 | | | | | | |
| | | | | | | |
| | | | | | ; | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |




























Electric Vehicle ELECTRICAL























THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING. When ordering parts, please specify the model and serial number of the product. * Indicates a component that is not available as a individual part. G** Indicates consult Customer Service Department for additional information.

| | | torner Service Department for additional information. | | | |
|------|-----------|---|----|-----|----|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY | |
| 1 | 30466-G1 | CHARGER WIRE HARNESS - FOR USE ON 775, 875, 875P WITH ONBOARD CHARGER AND 952, 954, 955, 956 AND 960 MODELS WITH OPTIONAL ONBOARD CHARGER | 1 | 1 | 1 |
| 2 | 30466-G3 | CHARGER WIRE HARNESS - 881 WITH ONBOARD CHARGER AND 957 WITH OPTIONAL ONBOARD CHARGER | 1 | - | 1 |
| 3 | 30301-G1 | CHARGER WIRE HARNESS - 952, 954, 956, AND 960 WITH PORTABLE CHARGER AND 775, 875, 875P WITH OPTIONAL PORTABLE CHARGER | 1 | 1 | 1 |
| 4 | 30347-G1 | CHARGER WIRE HARNESS - 955, 957 WITH PORTABLE CHARGER AND 881 WITH OPTIONAL PORTABLE CHARGER | 1 | 1 | 1 |
| 5 | | | | | |
| 6 | | | | | |
| 7 | 00565-G8 | WASHER, LOCK, 5/16 | 12 | 12 | 12 |
| 8 | | | | | |
| 9 | 11841-G3 | ANGLE, BATTERY HOLD DOWN | 2 | 2 | 2 |
| 10 | 30429-G1 | ROD, BATTERY HOLD DOWN | 6 | 6 | 6 |
| 11 | 30430-G1 | STRAP, BATTERY HOLD DOWN | 3 | 3 | 3 |
| 12 | 00559-G8 | WASHER, 5/16 | 6 | 6 | 6 |
| 13 | 11098-G6 | NUT, LOCK, 5/16 - 18 | 6 | 6 | 6 |
| 14 | XXXXX-G** | BATTERY | 6 | 6 | 6 |
| 15 | 11893-G1 | WIRE | 5 | 5 | 5 |
| 16 | 00702-G2 | NUT, HEAVY, 5/16 - 18 | 12 | 12 | 12 |
| 17 | 00532-G3 | NUT, HEAVY, 5/16 - 18 | 4 | 4 | 4 |
| 18 | 32076-G1 | WIRE | 1 | 1 | 1 |
| 19 | 32076-G2 | WIRE | 1 | 1 | 1 |
| 20 | 17421-G1 | SWITCH, IGNITION (INCLUDES ITEMS 21 - 23) FOR USE ON 775, 875, 875P AND 881 MODELS ONLY | 1 | - | - |
| 21 | * | NUT | 1 | - | - |
| 22 | * | BEZEL | 1 | - | - |
| 23 | 17063-G1 | KEY | 2 | - | - |
| 24 | 30533-G1 | LABEL, ON/OFF | 1 | - | - |
| 25 | 18724-G1 | HOLDER, RECEPTACLE (FOR USE ON 952, 954, 955, 956, 957 AND 960 MODELS ONLY) | _ | 1 | 1 |

THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. When ordering parts, please specify the model and serial number of the product. * Indicates a component that is not available as an individual part. G** Indicates consult Customer Service Department for additional information.

| G** Indica | indicates consult Customer Service Department for additional information. | | UNLESS SPECIFIE | | |
|------------|---|--|-----------------|------|----|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. | |
| 26 | | | | | |
| 27 | 00645-G2 | SCREW, #6 - 32 X 1 1/4 LG | - | 2 | 2 |
| 28 | 00559-G3 | WASHER, #6 | - | 2 | 2 |
| 29 | 14390-G9 | NUT, LOCK, #6 - 32 | - | 2 | 2 |
| 30 | | | ; | | |
| 31 | 32673-G1 | HORN SWITCH (FOR USE ON 775, 875, 875P AND 881 MODELS ONLY) | 1 | - | _ |
| 32 | 32673-G2 | HORN SWITCH (FOR USE ON 952, 954, 955, 956, 957 AND 960 MODELS ONLY) | - | 1 | 1 |
| 33 | | | | | |
| 34 | 14601-G8 | RIVET, 3/16 | 2 | 2 | 2 |
| 35 | | | | | |
| 36 | 32674-G1 | COVER, STEERING COLUMN (FOR USE ON 775, 875, 875P AND 881 MODELS ONLY) | 1 | - | _ |
| 37 | 32674-G2 | COVER, STEERING COLUMN (FOR USE ON 952, 954, 955, 956, 957 AND 960 MODEL SONLY) | - | 1 | 1 |
| 38 | 31430-G1 | CLAMP, CABLE CUSHIONED | AR | AR | AR |
| 39 | 00722-G4 | SCREW, #8 X 1/2 LG | AR | AR | AR |
| 40 | 17181-G1 | CLAMP, NYLON | AR | AR | AR |
| 41 | | | | | |
| 42 | XXXXX-XX | DIRECTION SELECTOR (SEE SEPARATE SECTION FOR PART NUMBER AND QUANTITY) | 1 | 1 | 1 |
| 43 | 00565-G8 | WASHER, 5/16 | 4 | 4 | 4 |
| 44 | 00702-G2 | NUT, 5/16 - 18 | 4 | 4 | 4 |
| 45 | | | | | |
| 46 | 17902-G1 | TAB, ADAPTER (FOR USE ON 952, 954, 955, 956, 957 AND 960 MODELS EQUIPPED WITH STATE OF CHARGE METER) | - | 1 | 1 |
| 47 | 25978-G62 | WIRE (FOR USE ON 952, 954, 955, 956, 957 AND 960 MODELS EQUIPPED WITH STATE OF CHARGE METER) | - | 1 | 1 |
| 48 | | | | | |
| 49 | | | | | |
| | | | | | |

THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING. When ordering parts, please specify the model and serial number of the product. * Indicates a component that is not available as a individual part. G** Indicates consult Customer Service Department for additional information.

| 3** Indica | ates consult Cus | tomer Service Department for additional information. | UNLESS SPEC | | .CIFIED |
|------------|------------------|---|-------------|------|---------|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. | |
| 50 | | | | | T |
| 51 | | | | | |
| 52 | | | | | |
| 53 | 17618-G1 | CLAMP, NYLON | AR | AR | AR |
| 54 | 33639-G01 | SWITCH, IGNITION AND LIGHTS (FOR USE ON 952, 954, 955, 956, 957 AND 960 MODELS ONLY) | - | 1 | 1 |
| 55 | 33636-G01 | METER, STATE OF CHARGE (FOR USE ON 952, 954, 955, 956, 957 AND 960 MODELS ONLY) | - | 1 | 1 |
| 56 | 33633-G01 | METER, HOUR (FOR USE ON 952, 954, 955, 956, 957 AND 960 MODELS ONLY) | _ | 1 | 1 |
| 57 | 18431-G1 | SWITCH, LIGHT - INCLUDES KNOB AND HARDWARE (FOR USE ON 775, 875, 875P AND 881MODELS ONLY) | 1 | - | - |
| 58 | | | | | |
| 59 | 30395-G1 | HEADLIGHT AND TURN SIGNAL, DRIVER'S SIDE (INCLUDES ITEMS 61 - 70) IF EQUIPPED | 1 | 1 | 1 |
| 60 | 30395-G2 | HEADLIGHT AND TURN SIGNAL, PASSENGER SIDE (INCLUDES ITEMS 61 - 70) IF EQUIPPED | 1 | 1 | 1 |
| 61 | 30394-G1 | HEADLIGHT | 1 | - | - |
| 62 | 22523-G1 | BULB (REPLACEMENT) | AR | - | - |
| 63 | 00562-G3 | WASHER, 1/2 | 1 | - | - |
| 64 | 00551-G1 | NUT, 1/2 - 13 | 1 | - | - |
| 65 | | | | | |
| 66 | 18927-G1 | ADAPTER KIT (INCLUDES MOUNTING SCREWS) | 1 | - | - |
| 67 | 18927-G8 | PLUG AND HARNESS | 1 | - | - |
| 68 | 21806-G1 | BRACKET, TURN SIGNAL | 1 | - | - |
| 69 | 00598-G4 | SCREW, SELF TAPPING, #10 - 16 X 1/2 LG | 2 | - | - |
| 70 | 19180-G2 | BULB, YELLOW (REPLACEMENT) | AR | - | - |
| 71 | 31390-G1 | STATE OF CHARGE METER, ANALOG (FOR USE ON 775, 875, 875P AND 881 MODELS ONLY) | 1 | _ | - |
| 72 | | | | | |
| 73 | 22674-G1 | FUSE BLOCK | 1 | 1 | 1 |
| 74 | 30371-G1 | WIRE | 1 | 1 | 1 |
| 75 | | | | | |

THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING.
When ordering parts, please specify the model and serial number of the product.
* Indicates a component that is not available as an individual part.
G** Indicates consult Customer Service Department for additional information.


| indicates consult customer service bepartment for additional information. | | | UNLESS SPECIFIED | | |
|---|----------|--|------------------|------|----|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. | |
| 76 | 00138-G4 | SCREW, #6 - 32 X 1/2 LG | 2 | 2 | 2 |
| 77 | 00565-G3 | WASHER, #6 | 2 | 2 | 2 |
| 78 | 00525-G5 | NUT, #6 - 32 | 2 | 2 | 2 |
| 79 | 18392-G2 | FUSE, 20 AMP | 3 | 3 | 3 |
| 80 | | | | : | |
| 81 | 17867-G1 | SWITCH, TURN SIGNAL | 1 | 1 | 1 |
| 82 | | | | | |
| 83 | 32675-G2 | COVER, STEERING COLUMN (VEHICLES EQUIPPED WITH TURN SIGNALS) | 1 | 1 | 1 |
| 84 | 21640-G1 | FLASHER | 1 | 1 | 1 |
| 85 | 14601-G1 | RIVET, 3/16 (ITEMS 85 AND 88 ARE FOR USE ON 952, 954, 955, 956, 957, 960 MODELS ONLY) | | 4 | 4 |
| 86 | 32740-G1 | BRACKET, TAILLIGHT (FOR USE ON 775 MODEL ONLY) | 4 | - | - |
| 87 | 32739-G2 | LAMP, STOP/TAIL | 1 | - | - |
| 88 | 30509-G1 | TAILLIGHT ASSEMBLY (INCLUDES ITEMS 89 - 91) | - | 2 | 2 |
| 89 | 30530-G1 | LENS, TAILLIGHT/STOP LIGHT | - | 1 | 1 |
| 90 | 30531-G1 | LENS, BACKUP LIGHT | - | 1 | 1 |
| 91 | 21759-G1 | BULB, TAILLIGHT (REPLACEMENT) | - | AR | AR |
| 92 | | | | | |
| 93 | 14607-G1 | CLAMP, NYLON | AR | AR | AR |
| 94 | | | | | |
| 95 | 32860-G1 | HORN (INCLUDES ITEMS 96 - 98) | 1 | 1 | 1 |
| 96 | | | | | |
| 97 | | | | | |
| 98 | | | : | | |
| 99 | 00414-G6 | SCREW, 1/4 - 20 X 3/4 LG. (FOR USE ON 775 MODEL ONLY) | 4 | - | - |
| 100 | 00891-G2 | NUT, LOCK, 1/4 - 20 (FOR USE ON 775 MODEL ONLY) | 4 | - | - |
| 101 | | | | | |
| 102 | 30308-G1 | WIRE HARNES, ACCESSORY (FOR USE ON 775, 875, 875P, 881, 952, 954, 956 AND 960 MODELS ONLY) | 1 | 1 | 1 |
| 103 | 30308-G2 | WIRE HARNESS, ACCESSORY (FOR USE ON 881, 955, 957) | 1 | 1 | 1 |


THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING.
When ordering parts, please specify the model and serial number of the product.
* Indicates a component that is not available as a individual part.
G** Indicates consult Customer Service Department for additional information.


| d Hulce | indicates consult ouslotter Service Department for additional information. | | <u> </u> | UNLESS SPECIFIED | | |
|---------|--|---|----------|------------------|---|--|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. | • | |
| 104 | | | | | | |
| 105 | | | | | | |
| 106 | | | | | | |
| 107 | | | | | | |
| 108 | 32475-G1 | WIRE HARNESS, POWER WIRING (FOR USE ON 775, 875, 875P, 881, 952, 954, 956 AND 960 | 1 | 1 | 1 | |
| 109 | 32475-G2 | WIRE HARNESS, POWER WIRING (FOR USE ON 881, 955 AND 957 MODELS ONLY) | 1 | 1 | 1 | |
| 110 | | | | | | |
| 111 | | | | | | |
| 112 | | | | | | |
| 113 | | | | | | |
| 114 | 32442-G1 | WIRE HARNESS, CONTROL (FOR USE ON 775, 875, 875P, 952, 954, 956 AND 960) | 1 | 1 | 1 | |
| 115 | 32442-G2 | WIRE HARNESS, CONTROL (FOR USE ON 881, 955, 957 MODELS ONLY) | 1 | 1 | 1 | |
| 116 | | | | | | |
| 117 | 11893-G1 | WIRE | 1 | 1 | 1 | |
| 118 | 16705-G3 | SCREW, STAINLESS STEEL, 1/4 - 20 X 3/4 LG | 1 | 1 | 1 | |
| 119 | 14390-G4 | NUT, LOCK, 1/4 - 20 | 1 | 1 | 1 | |
| 120 | 00565-G8 | WASHER, LOCK, 5/16 | 1 | 1 | 1 | |
| 121 | 00532-G3 | NUT, 5/16 - 18 | 1 | 1 | 1 | |
| 122 | 33343-G01 | TERMINAL BLOCK | 1 | 1 | 1 | |
| | | | | | | |
| | ; | | 1 | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |


Electric Vehicle ELECTRICAL














Electric Vehicle

ELECTRONIC SPEED CONTROL


THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. MODEL When ordering parts, please specify the model and serial number of the product. * Indicates a component that is not available as an individual part. ALL MODELS G** Indicates consult Customer Service Department for additional information. **ITEM** PART NO. 1 2 3 4 5 DESCRIPTION QTY. 33198-G01 ELECTRONIC SPEED CONTROL ASSEMBLY, WITH HEAVY 1 DUTY SOLENOID (INCLUDES ITEMS 2 - 25) 1 00270-G6 SCREW, 5/16 - 18 X 3/4 LG. 2 SCREW, 1/4 - 20 X 3/4 LG. 3 00414-G6 6 00559-G7 WASHER, 1/4 4 NUT, LOCK, 5/16 - 18..... 5 11027-G1 6 11027-G2 NUT, LOCK, 1/4 - 20..... TAB, FASTON..... 7 12914-G1 2 8 RESISTOR, 250 OHMS..... 9 21764-G1 10 22717-G1 CONTROLLER, HDI 11 25949-G01 VARISTOR, MOV 30353-G1 DIODE, 3.0 AMP, 100V..... 12 BRACKET, SPEED CONTROLLER 13 33197-G01 WIRE, A2 / A2 32474-G1 14 WIRE, A1 / SOL..... 15 32474-G7 WIRE, BL+ / SOL.... 32474-G3 16 17 23793-G1 WIRE, B+ / SOL..... 32474-G5 WIRE, BL- / B-.... 18 19 SOLENOID 20468-G1 20 1 21 NUT, 5/16 - 24..... 2 WASHER, LOCK, 5/16 22 23 NUT, #10 - 32..... 24 2 WASHER, LOCK, #10 25 26 NUT, LOCK, 1/4 - 20 27 14390-G4 3 WASHER, 1/4 00559-G7 28 29


| THE USE | OF NON U.L. P | ARTS | S W | ILL \ | VOII | O ANY | U.L.LISTING. | | MODEL | - |
|--------------------------|-----------------------------------|----------------|-------------|---------------|-------------|--------------------|--|---------------|-------|---|
| * Indicate G** Indica | s a component thates consult Cust | hat is tome | not r Se | ava rvice | ilabl De | e as a i partme | d serial number of the product. ndividual part. nt for additional information. | ALL MODELS | | |
| ITEM | PART NO. | 1 | 2 | 3 | 4 | 5 | DESCRIPTION | | QTY. | |
| 30 | | | | | | | | | | |
| 31 | 00414-G6 | SC | RE | W, 1 | /4 - | 20 X 3/ | 4 LG | | 4 | |
| 32 | | | | | | | | | | |
| 33 | 00415-G6 | SC Al | REV ND 8 | W, 1 881 \ | /4 - VEH | 20 X 1 : ICLES | 3/4 LG. (FOR USE ON 875, 875P ONLY) | | 2 | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | : | | |

Electric Vehicle

ELECTRONIC SPEED CONTROL







When ordering parts, please specify the model and serial number of the product.

* Indicates a component that is not available as a individual part.

G** Indicates consult Customer Service Department for additional information.

MODEL ALL MODELS

| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. |
|------|-----------|--------------------------------|------|
| 1 | 30135-G2 | PLATE, SPRING MOUNTING | 2 |
| 2 | 00428-G4 | SCREW, 3/8 - 16 X 2 1/2 LG | 8 |
| 3 | 11098-G5 | NUT, LOCK, 3/8 - 16 | 8 |
| 4 | | | |
| 5 | | | |
| 6 | 30159-G2 | FRONT LEAF SPRING (4 LEAF) | 2 |
| 7 | 30035-G2 | SHACKLE, SPRING | 2 |
| 8 | | | |
| 9 | 30035-G1 | SHACKLE, SPRING | 2 |
| 10 | 20098-G1 | BUSHING, RUBBER | 12 |
| 11 | | | |
| 12 | 15727-G1 | BOLT, SHOULDER, 1/2 X 2 3/8 LG | 6 |
| 13 | 13521-G4 | NUT, 3/8 - 16 | |
| 14 | | | |
| 15 | | | |
| 16 | | | |
| 17 | | | |
| 18 | | | |
| 19 | 32963-G01 | SPINDLE | 1 |
| 20 | 16623-G1 | BEARING | 2 |
| 21 | 10389-G3 | GREASE FITTING | 1 |
| 22 | 16626-G1 | SEAL, OIL | 1 |
| 23 | | | |
| 24 | 32783-G1 | HUB ASSEMBLY (5 BOLT) | 1 1 |
| 25 | 50892-G1 | ROLLER BEARING AND RACE | 2 |
| 26 | | | |
| 27 | 12093-G1 | NUT, CASTLELLATED, 17/32 - 14 | 1 |
| 28 | 00798-G8 | PIN, COTTER, 5/32 X 1 3/4 LG | 1 |
| 29 | 30146-G1 | CAP, DUST | 1 |
| 30 | | | |


FRONT SUSPENSION


| /hen orde | ering parts, plea | se specify the model and serial number of the product. | MODEL |
|-----------|-------------------|---|---------------|
| Indicates | a component the | nat is not available as an individual part. omer Service Department for additional information. | ALL MODELS |
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. |
| 31 | 12092-G1 | SEAL, GREASE | 1 |
| 32 | | | |
| 33 | | | |
| 34 | 32962-G01 | SPINDLE | 1 1 |
| 35 | 16623-G1 | BEARING | 2 |
| 36 | 10389-G3 | GREASE FITTING | 1 |
| 37 | 16626-G1 | SEAL, OIL | 1 |
| 38 | | | |
| 39 | 32783-G1 | HUB ASSEMBLY (5 BOLT) | 1 |
| 40 | | | |
| 41 | | | |
| 42 | 12093-G1 | NUT, CASTLELLATED, 17/32 - 14 | 1 |
| 43 | 00798-G8 | PIN, COTTER, 5/32 x 1 3/4 LG | 1 |
| 44 | 30146-G1 | CAP, DUST | 1 1 |
| 45 | 50892-G1 | ROLLER BEARING AND RACE | 2 |
| 46 | 12092-G1 | SEAL, GREASE | 1 |
| 47 | | | |
| 48 | 32967-G01 | AXLE, FRONT | 1 |
| 49 | 16982-G1 | BEARING, THRUST | 2 |
| 50 | 00879-G7 | WASHER, 7/8 | 2 |
| 51 | | | |
| 52 | 00886-G1 | NUT, 5/8 - 18 | 2 |
| 53 | 19060-G1 | PIN, COTTER, STAINLESS STEEL, 1/8 X 1 1/4 LG | 2 |
| 54 | 20788-G3 | TIE ROD ASSEMBLY (INCLUDES ITEMS 55 - 58) | 1 |
| 55 | 20795-G1 | TIE ROD END, DRIVER'S SIDE | 1 |
| 56 | 20795-G2 | TIE ROD END, PASSENGER SIDE | 1 |
| 57 | | | |
| 58 | 70583-G04 | THREADED TUBE WITH FLAT | 1 |
| 59 | 10387-G2 | PIN, COTTER, 3/32 x 2 LG | 2 |
| 60 | | | |


| When ordering parts, please specify the model and serial number of the product. | |
|---|--|
| * Indicates a component that is not available as a individual part. | |
| G** Indicates consult Customer Service Department for additional information. | |

MODEL ALL MODELS

| 3** Indica | ites consult Cus | It Customer Service Department for additional information. | | | | |
|------------|------------------|--|---------|-------------|----|----|
| ITEM | PART NO. | 1 2 3 | 4 5 | DESCRIPTION | QT | Y. |
| 61 | 50209-G1 | NUT, 7/16 | i - 20 | | 2 | |
| 62 | 25177-G2 | KING PIN | | | 2 | |
| 63 | 00879-G5 | WASHER | , 5/8 | | 2 | |
| 64 | | <u> </u> | | | | |
| 65 | 10389-G3 | GREASE | FITTING | | 2 | |
| | | | | | | |
| : | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| - | | | | | | |
| | | | | | | |









HINGED LOAD DECK

| THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. When ordering parts, please specify the model and serial number of the product. | | | MODE | | L |
|---|-------------------|--|------|------|-----|
| * Indicates | s a component the | nat is not available as an individual part. tomer Service Department for additional information. | 875 | 875P | 881 |
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. | |
| 1 | 33132-G01 | DECK, REAR (INCLUDES ITEM 2) | - | 1 | - |
| 2 | 11782-G2 | NUT, TEE, 1/4 - 20 | - | 8 | - |
| 3 | | | | | |
| 4 | 33131-G01 | DECK, REAR (INCLUDES ITEM 5) | - | - | 1 |
| 5 | 11782-G2 | NUT, TEE, 1/4 - 20 | - | • | 8 |
| 6 | | | | | |
| 7 | 33133-G01 | DECK, REAR (INCLUDES ITEM 8) | 1 | - | - |
| 8 | 11782-G2 | NUT, TEE, 1/4 - 20 | 8 | - | - |
| 9 | | | | | |
| 10 | 30536-G1 | FRONT DECK ASSEMBLY (INCLUDES ITEMS 11 - 14) | 1 | - | - |
| 11 | 16705-G2 | SCREW, STAINLESS STEEL | 8 | - | - |
| 12 | 30538-G1 | DECK, FRONT | 1 | - | - |
| 13 | 33121-G01 | HINGE | 2 | - | - |
| 14 | 11782-G2 | NUT, TEE, 1/4 - 20 | 8 | - | - |
| 15 | 30536-G2 | FRONT DECK ASSEMBLY (INCLUDES ITEMS 16 - 19) | - | - | 1 |
| 16 | 16705-G2 | SCREW, STAINLESS STEEL | - | - | 8 |
| 17 | 30538-G2 | DECK, FRONT | - | - | 1 |
| 18 | 33121-G01 | HINGE | - | - | 2 |
| 19 | 11782-G2 | NUT, TEE, 1/4 - 20 | - | - | 8 |
| 20 | 33274-G01 | REAR SUPPORT ROD ASSEMBLY | 1 | 1 | 1 |
| 21 | | | | | |
| 22 | | | | | |
| 23 | | | | | |
| 24 | 30542-G2 | SUPPORT ROD ASSEMBLY | - | - | 1 |
| 25 | | | | | |
| 26 | | | | | |
| 27 | | | | | |
| 28 | 33121-G01 | HINGE | 2 | 2 | 2 |
| 29 | 22501-G2 | MOUNT | 2 | 1 | 2 |
| 30 | 16705-G2 | SCREW, STAINLESS STEEL, 1/4 - 20 X 5/8 LG | 28 | 18 | 28 |

| | THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING. When ordering parts, please specify the model and serial number of the product. | | MODEL | | | |
|-------------|---|--|-------|----------|-----|--|
| * Indicates | s a component the | nat is not available as a individual part. tomer Service Department for additional information. | 875 | 875P | 881 | |
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. | | |
| | | . L d 4 d DESCRIPTION | | <u> </u> | | |
| 31 | | | | | | |
| 32 | 16836-G1 | RETAINER, PUSHON | 1 | 1 | 2 | |
| 33 | 16837-G1 | RECEPTACLE | 2 | 1 | 2 | |
| 34 | 00773-G1 | STUD, OVAL | 2 | 1 | 2 | |
| 35 | 18270-G2 | BRACKET | 2 | 1 | 2 | |
| 36 | 00205-G4 | SCREW, 1/4 - 20 X 1 1/2 LG | 10 | 6 | 12 | |
| 37 | | | | | | |
| 38 | 00891-G2 | NUT, LOCK, 1/4 - 20 | İ | 8 | 24 | |
| 39 | 17838-G1 | BUSHING, NYLINER | 1 | 1 | 2 | |
| 40 | 12064-G1 | PUSHNUT, 5/16 | 2 | 1 | 2 | |
| 41 | 33130-G02 | DECK, HINGED (INCLUDES ITEM 42) | - | 1 | - | |
| 42 | 11782-G2 | NUT, TEE, 1/4 - 20 | - | 8 | - | |
| 43 | | | | | | |
| 44 | 00660-G7 | WASHER, 1/4 | 14 | 8 | 16 | |
| 45 | 15734-G2 | BOLT, "J" | 1 | 1 | 1 | |
| 46 | 00585-G3 | NUT, 5/16 - 18 | 1 | 1 | 2 | |
| 47 | | | | | | |
| 48 | 00891-G3 | NUT, LOCK, 5/16 - 18 | 1 | 1 | 1 | |
| 49 | 00660-G8 | WASHER, STAINLESS STEEL, 5/16 | 2 | 2 | 2 | |
| 50 | | | | | | |
| 51 | 33130-G01 | DECK, HINGED (INCLUDES ITEM 52) | 1 | - | 1 | |
| 52 | 11782-G2 | NUT, TEE, 1/4 - 20 | 8 | - | 8 | |
| 53 | 30542-G4 | FRONT SUPPORT ROD ASSEMBLY | 1 | - | - | |
| 54 | | | | | | |
| 55 | | | | | | |
| 56 | | | | | | |
| 57 | 21548-G1 | CLIP, FASTENER | 1 | - | 1 | |
| 58 | 00138-G4 | SCREW, #6 - 32 X 1/2 LG | 1 | - | 1 | |
| 59 | 00525-G3 | NUT, #6 - 32 | 1 | - | 1 | |
| 60 | 00565-G3 | WASHER, LOCK, #6 | 1 | - | 1 | |






THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING. MODEL When ordering parts, please specify the model and serial number of the product. * Indicates a component that is not available as a individual part. 775 G** Indicates consult Customer Service Department for additional information. **ITEM** PART NO. 1 2 3 4 5 DESCRIPTION QTY. 30537-G1 REAR DECK ASSEMBLY (INCLUDES ITEMS 2 - 4)..... 1 1 2 10222-G1 HINGE..... 2 3 16705-G4 SCREW, STAINLESS STEEL, 1/4 - 20 x 1/2 LG. 8 30539-G1 DECK, REAR..... 6 30536-G1 FRONT DECK ASSEMBLY (INCLUDES ITEMS 7 - 9) 7 33121-G01 HINGE..... 2 8 16705-G2 SCREW, STAINLESS STEEL, 1/4 - 20 x 5/8 LG. 8 30538-G1 9 DECK, FRONT..... 10 00891-G2 NUT, LOCK, 1/4 - 20 11 8 12 30542-G3 ROD, REAR SUPPORT 13 14 15 22501-G2 MOUNT 16 SCREW, STAINLESS STEEL, 1/4 - 20 X 5/8 LG..... 16705-G2 17 12 16836-G1 18 RETAINER, PUSHON 2 16837-G1 RECEPTACLE 19 2 20 00773-G1 STUD, OVAL 2 21 22 14601-G5 RIVET, STAINLESS STEEL, 27/64 12 18270-G2 BRACKET 23 2 SCREW, 1/4 - 20 X 1 LG. 24 00204-G8 6 25 11027-G2 NUT, LOCK, 1/4 - 20 10 FASTENER, CLIP 21548-G1 26 2 27 SCREW, #6 - 32 X 1/2 LG..... 28 00138-G4 2 00525-G5 NUT, #6 - 32 29 3


30


Electric Vehicle


HINGED LOAD DECK (XI - 775)


| | THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. When ordering parts, please specify the model and serial number of the product. * Indicates a component that is not available as an individual part. | | | | | | | MODEL | |
|--------------------------|---|---|------------------|---------------|---------|---|---|-------|--|
| * Indicate G** Indica | s a component thates consult Cus | hat is n tomer s | ot ava Servic | ailab e De | le as a | an individual part. nent for additional information. | | 775 | |
| ITEM | PART NO. | | 2 3 | | | DESCRIPTION | | QTY. | |
| 31 | 00565-G3 | WA | SHEF | R, LC |)CK, # | #6 | | 2 | |
| 32 | 17838-G1 | BUSHING, NYLINER | | | | | | 2 | |
| 33 | 12064-G1 | PUSHNUT, 5/16 | | | | | | 2 | |
| 34 | | | | | | | | | |
| 35 | 31144-G2 | ANGLE, DRIVER'S SIDE | | | | | | 1 | |
| 36 | 31143-G2 | ANGLE, PASSENGER SIDE | | | | | | 1 | |
| 37 | 00703-G6 | SCREW, STAINLESS STEEL, 3/8 - 16 | | | | | | 2 | |
| 38 | 00675-G1 | WASHER, STAINLESS STEEL, 1 1/4 O.D. X 3/8 I.D | | | | | | 2 | |
| 39 | 00654-G5 | NU. | r, lo | CK, 3 | 3/8 - 1 | 6 | | 2 | |
| 40 | | | | | | | | | |
| 41 | 30542-G4 | RO | D, FR | ТИО | SUP | PORT | | 1 | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | : | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


















































26

27

28

29

30051-G1

30054-G1

18449-G3

Electric Vehicle

1

2

13

13

| ndicate | s a component the | at is not available as | and serial number of the product. a individual part. nent for additional information. | 775 875/P | 952 954 955 | 95 95 96 |
|---------|-------------------|------------------------|---|--------------|-------------------|----------------|
| ITEM | PART NO. | 1 2 3 4 5 | DESCRIPTION | 881 | QTY. | 1 |
| | | | /2 LG | _ | 6 | Γε |
| 1 | 00724-G3 | BOLI, 5/16 - 18 X | /2 LG | - | ٥ | ' |
| 2 | | | | | | |
| | 00660-G8 | WACHED STAINIL | ESS STEEL, 5/16 | | 6 | ۱, |
| 4 | | • | · | | | |
| 5 | 00891-G3 | NUT, LOCK, 5/16 - | 18 | - | 6 | ľ |
| 6 | | | | | | |
| 7 | | | | | | |
| 8 | 30059-G1 | · | | | 1 | ' |
| 9 | 30049-G1 | · | ER | | 2 | 3 |
| 10 | 00725-G2 | | STAINLESS STEEL, 3/8 - 16 X 3 1/2 LG | | 4 | |
| 11 | 00653-G1 | | | | 4 | ' |
| 12 | 00891-G5 | NUT, LOCK, STAIN | LESS STEEL, 3/8 - 16 | - | 6 | 1 |
| 13 | | | | | | |
| 14 | | | | | | |
| 15 | 30060-G2 | BUMPER, SIDE, D | RIVER'S SIDE | - | 1 | |
| 16 | 30060-G1 | BUMPER, SIDE, P. | ASSENGER SIDE | - | 1 | |
| 17 | 00725-G1 | BOLT, CARRIAGE, | 3/8 - 16 X 1 LG | - | 2 | : |
| 18 | | | | | | |
| 19 | 33569-G01 | COVER, PARKING | BRAKE | 1 | 1 | . |
| 20 | 71055-G01 | RIVET, 3/16 | | 4 | 4 | ، |
| 21 | | | | | | |
| 22 | 19817-G1 | NAMEPLATE, E-Z- | GO | - | 1 | . |
| 23 | 23803-G1 | | DHESIVE TAPE (ORDER TO THE | - | AR | A |
| 24 | 30502-G** | COWL ASSEMBLY | (INCLUDES ITEMS 25 - 40) | - | 1 | |
| 25 | 30041-G** | COWL, FIBER | 3LASS | - | 1 | ۱. |

SUPPORT, COWL

NUT, MOLLY JACK, 1/4 - 20.....

SCREW, SELF TAPPING, #8 - 18 X 5/8 LG.....

MODEL

THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. When ordering parts, please specify the model and serial number of the product. 775 952 956 875/P 954 957 881 955 960 * Indicates a component that is not available as an individual part. G** Indicates consult Customer Service Department for additional information.

| G** Indica | ites consult Cus | tomer Service Department for additional information. | 881 | 955 | 960 |
|------------|------------------|---|-----|------|-----|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. | |
| 30 | 20271-G1 | PLUG, HOLE | - | 2 | 2 |
| 31 | 30055-G1 | DASH TRIM, EXTRUSION | - | 1 | 1 |
| 32 | 16705-G1 | SCREW, STAINLESS STEEL, 1/4 - 20 X 1 LG | - | 2 | 2 |
| 33 | 00660-G7 | WASHER, STAINLESS STEEL, 1/4 | - | 4 | 4 |
| 34 | 00891-G2 | NUT, LOCK, 1/4 - 20 | - | 2 | 2 |
| 35 | | | | | |
| 36 | 16705-G6 | SCREW, 1/4 - 20 X 1 3/4 LG | - | 2 | 2 |
| 37 | 00559-G7 | WASHER, 1/4 | - | 3 | 3 |
| 38 | 30036-G1 | WASHER, RUBBER | - | 2 | 2 |
| 39 | 00559-G7 | WASHER, 1/4 | - | 2 | 2 |
| 40 | 00891-G2 | NUT, LOCK, 1/4 - 20 | - | 2 | 2 |
| 41 | | | | | |
| 42 | | | | | |
| 43 | 30074-G1 | PANEL, INSTRUMENT | - | 1 | 1 |
| 44 | 30072-G1 | ASHTRAY | - | 1 | 1 |
| 45 | 10570-G3 | RIVET, 1/8 | - | 2 | 2 |
| 46 | 00723-G1 | WASHER, FENDER, STAINLESS STEEL, 5/16 | - | 2 | 2 |
| 47 | 16705-G1 | SCREW, STAINLESS STEEL, 1/4 - 20 X 1 LG | - | 2 | 2 |
| 48 | | | | | |
| 49 | | | | | |
| 50 | 33279-G01 | FLOORMAT, FRONT (FOR USE ON 952, 954, 955, 956, 957 AND 960 MODELS ONLY) | - | 1 | 1 |
| 51 | 30068-G1 | RETAINER, FLOORMAT | - | 2 | 2 |
| 52 | 30067-G1 | RETAINER, REAR FLOORMAT | - | 1 | 1 |
| 53 | 10570-G3 | RIVET, 1/8 | - | 14 | 14 |
| 54 | | | | | |
| 55 | | | | | |
| 56 | 00977-G07 | BOLT, STAINLESS STEEL, 5/16 - 18 X 1 1/2 LG | - | AR | AR |
| 57 | 30036-G1 | WASHER, RUBBER | - | AR | AR |
| 58 | 00660-G8 | WASHER, STAINLESS STEEL, 5/16 | - | AR | AR |
| | | | Ц | | |

THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING.
When ordering parts, please specify the model and serial number of the product.

* Indicates a component that is not available as a individual part.

G** Indicates consult Customer Service Department for additional information.

* 881

| MODEL | | | | | | | |
|-------|------------|--|--|--|--|--|--|
| 952 | 956 | | | | | | |
| 954 | 957 | | | | | | |
| 955 | 960 | | | | | | |
| | 952 954 | | | | | | |

| | | tomer Service Department for additional information. | 881 | 955 | 960 |
|------|-----------|--|------|-----|-----|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. | | |
| 59 | 00891-G3 | NUT, LOCK, STAINLESS STEEL, 5/16 - 18 | - | AR | AR |
| 60 | | | | | |
| 61 | 33278-G** | BODY, FIBERGLASS (FOR USE ON 952, 954, 956, 960 MODELS ONLY) | - | 1 | 1 |
| 62 | | | | | |
| 63 | | | | | |
| 64 | 30078-G1 | TRIM, SIDE, 32 3/4 LG | - | 2 | 2 |
| 65 | | | | | |
| 66 | | | | | |
| 67 | 30320-G** | DOOR, HINGED PANEL, DRIVER'S SIDE (ITEMS 67 - 103 ARE FOR USE ON 952 AND 960 MODELS ONLY) | - | 1 | 1 |
| 68 | 10570-G4 | RIVET, 3/16 | - | 8 | 8 |
| 69 | 30501-G1 | HINGE, DOOR | - | 2 | 2 |
| 70 | | | | | |
| 71 | | | | | |
| 72 | | | | | |
| 73 | 30311-G** | DOOR, PANEL, PASSENGER SIDE | - | 1 | 1 |
| 74 | 14601-G1 | RIVET, ALUMINIUM, 3/16 | - | 4 | 4 |
| 75 | 22524-G1 | TAPE, FOAM | - | 1 | 1 |
| 76 | | | | | |
| 77 | | | | | |
| 78 | 30141-G1 | FRAME DECK (FOR USE ON 952 AND 960 MODELS ONLY) | - | 1 | 1 |
| 79 | | | | : | |
| 80 | | | | | |
| 81 | 31877-G4 | PANEL, REAR BODY (ITEMS 81 - 84 ARE FOR USE ON 875, 875P AND 881 MODELS ONLY) | 1 | - | - |
| 82 | 11027-G2 | NUT, LOCK, 1/4 - 20 | 12 | - | - |
| 83 | 16705-G4 | SCREW, 1/4 - 20 X 1/2 LG | 2 | - | - |
| 84 | 00891-G2 | NUT, LOCK, 1/4 - 20 | 2 | - | - |
| 85 | | | | | |
| 86 | | | | | |

| | HE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. Then ordering parts, please specify the model and serial number of the product. | | MOE | | :L |
|-------------|--|---|-----------|----|------------|
| * Indicates | a component the | nat is not available as an individual part. Tomer Service Department for additional information. | 875/P 954 | | 956 957 |
| ITEM | PART NO. | | | | 960 |
| II EIVI | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. | | |
| 87 | 30126-G1 | BUMPER (952, 954, 955, 956, 957 AND 960 MODELS ONLY) | - | 1 | 1 |
| 88 | | | | | |
| 89 | | | | | |
| 90 | 33619-G01 | CONSOLE, 4 CUP | ! | 1 | 1 |
| 91 | 16705-G3 | SCREW, STAINLESS STEEL, 1/4 - 20 X 3/4 LG | - | 4 | 4 |
| 92 | 00793-G2 | WASHER, STAINLESS STEEL, 1/4 | - | 4 | 4 |
| 93 | 16705-G9 | SCREW, STAINLESS STEEL, 1/4 - 20 X 1 1/4 | - | 4 | 4 |
| 94 | 11027-G2 | NUT, 1/4 - 20 | - | 8 | 8 |
| 95 | | | | | |
| 96 | | | | | |
| 97 | | | | | |
| 98 | 30205-G1 | BRACE, FRAME DECK | - | 2 | 2 |
| 99 | İ | | | | |
| 100 | 33642-G02 | BRACKET, 4 CUP CONSOLE SUPPORT, DRIVER'S SIDE | - | 1 | 1 |
| 101 | 33642-G01 | BRACKET, 4 CUP CONSOLE SUPPORT, PASSENGER SIDE | - | 1 | 1 |
| 102 | | | | | |
| 103 | 32200-G3 | PANEL, BODY, DRIVER'S SIDE (ITEMS 103 - 105 ARE FOR USE ON 881MODEL ONLY) | 1 | - | - |
| 104 | 32200-G4 | PANEL. BODY, PASSENGER SIDE | 1 | - | - |
| 105 | 11027-G2 | NUT, LOCK, 1/4 - 20 | 10 | - | - |
| 106 | 10570-G3 | RIVET (ITEMS 106 - 108 ARE FOR 954 MODEL ONLY) | - | 12 | - |
| 107 | 33067-G2 | RETAINER, FLOORMAT | - | 1 | - |
| 108 | 32290-G3 | FLOORMAT, RUBBER | - | 1 | - |
| 109 | | | | | |
| 110 | | | | | |
| 111 | 00724-G5 | BOLT, CARRIAGE, 5/16 - 18 X 2 LG. (ITEMS 111 - 140 ARE FOR 954 AND 955 MODELS ONLY) | - | 4 | 10 |
| 112 | 30036-G1 | WASHER, RUBBER | - | 4 | 4 |
| 113 | 00660-G8 | WASHER, STAINLESS STEEL, 5/8 | - | 4 | 10 |
| 114 | 00891-G3 | NUT, LOCK, 5/16 - 18 | - | 4 | 10 |
| 115 | | | | | |

Electric Vehicle

THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING.

When ordering parts, please specify the model and serial number of the product.

* Indicates a component that is not available as a individual part.

G** Indicates consult Customer Service Department for additional information.

* Indicates consult Customer Service Department for additional information.

* MODEL

775 | 952 | 956 | 875/P | 954 | 957 | 950 | 950 | 950 | 950 | 960 |

| G** Indica | ites consult Cust | tomer Service Department for additional information. | 881 | 955 | 960 |
|------------|-------------------|--|------|-----|-----|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. | | |
| 116 | 00774-G2 | SCREW, STAINLESS STEEL, 1/4 - 20 X 1 1/4 LG | - | 4 | 2 |
| 117 | 00891-G2 | NUT, LOCK, 1/4 - 20 | - | 4 | 2 |
| 118 | 00725-G2 | BOLT, CARRIAGE, STAINLESS STEEL, 3/8 - 16 X 3 1/2 LG | - | 2 | 2 |
| 119 | 30049-G1 | STANDOFF BUMPER | - | 2 | 2 |
| 120 | 00653-G1 | WASHER, STAINLESS STEEL, 3/8 | - | 4 | 2 |
| 121 | 00891-G5 | NUT, LOCK, 3/18 - 16 | - | 4 | 2 |
| 122 | | | | | |
| 123 | | | | | |
| 124 | : | | | | |
| 125 | | | | | |
| 126 | : | | | | |
| 127 | | | | | |
| 128 | | | | | |
| 129 | | | | | |
| 130 | 00725-G5 | BOLT, CARRIAGE, STAINLESS STEEL, 3/8 - 16 X 1 LG | - | 2 | - |
| 131 | | | | | |
| 132 | 00654-G5 | NUT, LOCK, STAINLESS STEEL, 3/8 - 16 | - | 2 | - |
| 133 | | | | | |
| 134 | | | | | |
| 135 | | | | | |
| 136 | : | | | | |
| 137 | 30142-G1 | FRAME DECK ASSEMBLY (FOR USE ON 954 AND 955 MODELS ONLY) | - | 1 | - |
| 138 | 00372-G8 | SCREW, #8 - 32 X 1 LG | - | 4 | - |
| 139 | 31193-G1 | SIDES, WOODEN STAKE | - | 2 | - |
| 140 | 33040-G01 | DECK, CARGO (FOR USE ON 954 AND 955 MODELS ONLY) | _ | 1 | - |
| 141 | | | | | |
| 142 | 33126-G01 | SHIELD, HEAT (ITEMS 142 - 145 ARE FOR USE ON 954, 955, 956 AND 957 MODELS ONLY) | - | 1 | 1 |
| 143 | 30054-G1 | NUT, MOLLY JACK, 1/4 - 20 | - | 3 | 3 |

MODEL

THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. When ordering parts, please specify the model and serial number of the product.

* Indicates a component that is not available as an individual part. 775 952 956 875/P 954 957

| | | tomer Service Department for additional information. | 875/P 881 | 954 955 | 957 960 |
|------|-----------|--|--------------|------------|------------|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. | | |
| 144 | 16705-G1 | SCREW, STAINLESS STEEL, 1/4 - 20 X 1 LG | - | 3 | 3 |
| 145 | 00664-G7 | WASHER, LOCK, STAINLESS STEEL, 1/4 | • | 3 | 3 |
| 146 | 14382-G1 | STRIP, NOISE SUPRESSION | - | - | 2 |
| 147 | 33277-G** | BODY, FIBERGLASS (FOR USE ON 957 MODEL ONLY) | - | - | 1 |
| 148 | | | | | |
| 149 | | | | | |
| 150 | | | | | |
| 151 | 32290-G2 | FLOORMAT (ITEMS 151 - 157 ARE FOR USE ON 955 AND 957 MODELS ONLY) | _ | 1 | 1 |
| 152 | 00891-G2 | NUT, LOCK, 1/4 - 20 | | 6 | 6 |
| 153 | 00642-G7 | WASHER, 1/4 | - | 6 | 6 |
| 154 | 16705-G1 | SCREW, 1/4 - 20 X 1 LG | | 6 | 6 |
| 155 | 32422-G1 | TRIM, SIDE | - | 2 | 2 |
| 156 | 30067-G2 | RETAINER, REAR FLOORMAT | - | 2 | 2 |
| 157 | 10570-G3 | RIVET, 1/8 | - | 16 | 16 |
| 158 | | | | | |
| 159 | | | | | |
| 160 | 32290-G3 | FLOORMAT, REAR (FOR USE ON 954 AND 960 MODELS ONLY) | - | 1 | 1 |
| 161 | 30042-G1 | STEP PLATE AND RAIL (ITEMS 166 - 169 ARE FOR USE ON 956 AND 957 MODELS ONLY) | - | _ | 2 |
| 162 | | | | | |
| 163 | | | | | |
| 164 | | | | | |
| 165 | | | | | |
| 166 | 22280-G1 | TRIM, EDGE | - | - | 2 |
| 167 | 00725-G5 | SCREW, STAINLESS STEEL, 3/8 - 16 X 1 1/2 LG | - | • | 2 |
| 168 | 00653-G1 | WASHER, LOCK, STAINLESS STEEL, 3/8 | - | - | 2 |
| 169 | 00891-G5 | NUT, STAINLESS STEEL, 3/8 - 16 | - | - | 2 |
| 170 | | | i. | | |
| 171 | | | | | |
| | | | <u> </u> | | |

Electric Vehicle

| THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING. | | | | |
|--|--|--|--|--|
| When ordering parts, please specify the model and serial number of the product. * Indicates a component that is not available as a individual part. | | | | |
| G** Indicates consult Customer Service Department for additional information. | | | | |
| | | | | |

| G** Indica | tes consult Cus | tomer Service Department for additional information. | 881 | 955 | 960 |
|------------|-----------------|--|------|-----|-----|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. | | |
| 172 | 30627-G** | TOP COVER, FABRIC (172,173 USEON 960 MODEL ONLY) | - | - | 1 |
| 173 | 31760-G1 | HUB CAP, CHROME | - | - | 4 |
| 174 | | | | | |
| 175 | 30611-G1 | DRAWER LOCK (FOR USE ON 960 MODELS ONLY) | - | - | 1 |
| 176 | 30591-G** | COMPLETE BAR ASSEMBLY (FOR USE ON 960 MODEL ONLY) INCLUDES ITEMS 177 - 234 | - | - | 1 |
| 177 | 30592-G** | BAR TOP, FIBERGLASS | - | - | 1 |
| 178 | 30593-G** | LID, CHEST | - | - | 1 |
| 179 | | | | | |
| 180 | 30612-G** | DOOR, SIDE | - | - | 2 |
| 181 | | | | | |
| 182 | | | | | |
| 183 | 30609-G** | DRAWER, SIDE | - | - | 1 |
| 184 | | | | | |
| 185 | 30599-G1 | LAZY SUSAN | - | - | 1 |
| 186 | 30600-G1 | MAT, RUBBER, 18.75 DIA | - | • | 1 |
| 187 | 30603-G1 | CUTTING BOARD | - | - | 1 |
| 188 | 30602-G1 | HOLDER, SILVERWARE | _ | - | 2 |
| 189 | 31434-G1 | CUP DISPENSER (WITH MOUNTING BRACKET AND WING NUTS) | - | - | 1 |
| 190 | | | | | |
| 191 | 00559-G7 | WASHER, 1/4 | - | - | 12 |
| 192 | 31607-G1 | HANDLE, LIFT | - | - | 4 |
| 193 | 30403-G2 | RIVET, 5/32 | - | - | 16 |
| 194 | | | | | |
| 195 | 30605-G1 | BRACKET, DOOR CATCHING | - | - | 2 |
| 196 | 15058-G1 | RIVET | - | - | 4 |
| 197 | 30606-G1 | CATCH, MAGNETIC | - | - | 2 |
| 198 | * | SCREW, MAGNETIC CATCH MOUNTING | - | - | 4 |
| 199 | 31490-G1 | HINGE, CHROME | - | - | 4 |
| 200 | 00978-G5 | SCREW, #6 - 18 X 5/8 LG | - | - | 8 |

THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING.

When ordering parts, please specify the model and serial number of the product.

* Indicates a component that is not available as an individual part.

G** Indicates consult Customer Service Department for additional information.

* MODEL

775 | 952 | 956 | 957 |
881 | 955 | 960

| G** Indica | ites consult Cus | tomer Service Department for additional information. | 881 | 955 | 960 |
|------------|------------------|---|------|-----|-----|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. | | |
| 201 | 00559-G3 | WASHER, #6 | - | - | 8 |
| 202 | 00565-G3 | WASHER, LOCK, #6 | - | - | 8 |
| 203 | 00525-G5 | NUT, #6 - 32 | - | - | 8 |
| 204 | 00918-G5 | SCREW, #6 - 18 X 5/8 LG | - | • | 6 |
| 205 | 32645-G1 | STOP, DOOR | - | • | 6 |
| 206 | 30215-G1 | BUSHING, NYLON | - | - | 1 |
| 207 | * | PLATE, MAGNETIC CATCH | - | - | 1 |
| 208 | * | SCREW | - | - | 1 |
| 209 | 30596-G1 | HINGE, LID | - | - | 2 |
| 210 | 00881-G6 | SCREW, STAINLESS STEEL, #8 - 15 X 3/4 LG | - | - | 8 |
| 211 | 31491-G1 | HANDLE, LID | - | - | 1 |
| 212 | 00712-G4 | SCREW, 1/4 - 20 X 1 1/2 LG | - | - | 1 |
| 213 | 16469-G1 | WASHER, FENDER | - | - | 2 |
| 214 | 14390-G4 | NUT, LOCK, 1/4 - 20 | - | - | 1 |
| 215 | 30036-G1 | BUMPER, RUBBER | - | - | 1 |
| 216 | 32805-G5 | TRIM EDGE | - | - | 1 |
| 217 | 15058-G3 | RIVET, 3/16 | - | - | 2 |
| 218 | | | | | |
| 219 | | | | | |
| 220 | 00881-G6 | SCREW, STAINLESS STEEL, #8 - 15 X 3/4 LG | - | - | 18 |
| 221 | | | | | |
| 222 | 30572-G1 | FRAME, CANOPY (ITEMS 222 - 234 ARE FOR USE ON 960 MODEL ONLY) | - | _ | 1 |
| 223 | 30628-G1 | SUPPORT, FRONT | - | - | 1 |
| 224 | 30629-G1 | SUPPORT, REAR | - | - | 1 |
| 225 | 30625-G1 | SPACER, FRAME | - | - | 2 |
| 226 | 31395-G1 | CAP, TUBE | - | - | 6 |
| 227 | | | | | |
| 228 | | | | | |
| 229 | 00762-G9 | SCREW, STAINLESS STEEL, 5/16 - 18 X 2 1/ 2 LG | - | - | 8 |
| 229 | 00762-69 | 30new, 31AINLE33 31EEL, 3/10 - 10 A 2 1/ 2 LG | _ | | |

00715-G1

XXXXX-XX

32118-G3

32118-G4

11027-G2

16705-G3

33277-G**

31876-G3

31876-G4

11027-G2

00891-G3

00722-G4

00722-G6

240

241

242

243

244

245

246

247

248

249

250251

252

253

254255

256

257258

Electric Vehicle

| | MODEL DETAILS Electric V | | | | | е | | |
|---|--|-----------|--|------|-----|----|--|--|
| | THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING. When ordering parts, please specify the model and serial number of the product. * Indicates a component that is not available as a individual part. G** Indicates consult Customer Service Department for additional information. | | | | | | | |
| | ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. | | ' | | |
| | 230 | 00762-G6 | SCREW, STAINLESS STEEL, 5/16 - 18 X 1 3/4 LG | - | [- | 6 | | |
| | 231 | 30630-G1 | BRACKET, CANOPY MOUNTING | - | - | 2 | | |
| | 232 | | | | | | | |
| - | 233 | 00660-G8 | WASHER, STAINLESS STEEL, 5/16 | - | - | 14 | | |
| | 234 | 14390-G4 | NUT, LOCK, 5/16 - 18 | - | - | 14 | | |
| | 235 | 22938-G2 | TUBING, FLEXIBLE | - | - | 1 | | |
| | 236 | 11391-G5 | CLAMP, HOSE | - | - | 1 | | |
| | 237 | 19817-G1 | NAMEPLATE, E-Z-GO | 1 | - | - | | |
| | 238 | 12064-G3 | PUSHNUT, 3/16 | 3 | - | - | | |
| | 239 | 33340-G01 | SHIELD, LOWER | 1 | 1 | 1 | | |
| | | | | | | | | |

SCREW, STAINLESS STEEL, 5/16 - 24 X 3/4 LG......

HINGE LOAD DECK (SEE SEPARATE ILLUSTRATION) 1

NUT, LOCK, 1/4 - 20

SCREW, STAINLESS STEEL, 1/4 - 20 X 3/4 LG......

BODY, FIBERGLASS (FOR USE ON 955 MODEL ONLY)

ARE FOR USE ON 875 VEHICLES ONLY)......

NUT, LOCK, 1/4 - 20

NUT, LOCK, 5/16 - 18

BOLT, CARRIAGE, 5/16 - 18 X 1 1/2 LG. (UPPER).....

BOLT, CARRIAGE, 5/16 - 18 X 1 3/4 LG. (LOWER).....

PANEL, BODY, DRIVER'S SIDE (ITEMS 244 - 247 ARE FOR

PANEL, BODY, DRIVER'S SIDE (ITEMS 251 - 253

1

7

2

1

| hen ord | ering parts, plea | ARTS WILL VOID ANY U.L. LISTING. se specify the model and serial number of the product. | 775 | MODE 1 952 | |
|------------------------|-----------------------------------|---|--------------|---------------|-------------------|
| Indicates ** Indica | a component to tes consult Cus | nat is not available as an individual part. tomer Service Department for additional information. | 875/P 881 | | 956 957 960 |
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. | - |
| 259 | 31121-G1 | BUMPER, REAR (FOR USE ON 775, 875, 875P AND 881 MODELS ONLY) | 1 | _ | |
| 260 | 00660-G8 | WASHER, 5/16 | 4 | _ | - |
| 261 | | | | | |
| 262 | | | | | |
| 263 | 33623-G01 | RIVET, 15/64 | _ | 3 | 3 |
| 264 | | | | | ļ |
| 265 | | | | | |
| 266 | | | | | |
| 267 | 10570-G9 | RIVET, 1/8 | 4 | 4 | 4 |
| 268 | * | LABEL IDENTIFICATION | 1 | 1 | 1 |
| 269 | 00559-G5 | WASHER, #10 | 4 | - | - |
| 270 | 00378-G4 | SCREW, #10 - 24 X 1/2 LG | 4 | - | - |
| 271 | 00565-G5 | WASHER, LOCK, #10 | 4 | - | - |
| 272 | 00526-G3 | NUT, #10 - 24 | 4 | - | - |
| 273 | 22281-G9 | TRIM, DASH, 2 1/4 LG | 1 | - | - |
| 274 | 22281-G7 | TRIM, DASH, 21 1/2 LG | 1 | - | - |
| 275 | 30707-G1 | MAT, DASH | 1 | - | - |
| 276 | 22497-G2 | SNAP BUSHING | 1 | - | - |
| 277 | 23803-G1 | TAPE, DOUBLE SIDED (ORDER TO THE NEAREST YARD) | AR | - | - |
| 278 | 30340-G1 | PANEL, INSTRUMENT | 1 | - | - |
| 279 | 30392-G1 | PLUG, INSTRUMENT PANEL | 3 | - | - |
| 280 | 20271-G1 | PLUG, INSTRUMENT | 1 | - | - |
| 281 | XXXXX-XX | SWITCH, IGNITION (FOR BOTH METAL BODIED VEHICLES) SEE ELECTRICAL SECTION FOR PART NUMBER AND QUANTITY | Х | X | x |
| 282 | XXXXX-XX | SWITCH, LIGHT (FOR METAL BODIED VEHICLES) SEE ELECTRICAL SECTION FOR PART NUMBER AND QUANTITY) | x | - | - |
| 283 | | | | | |
| 284 | * | DECAL, SAFETY | - | 1 | 1 |
| 285 | | | | | |

PART NO.

33634-G01

33634-G02

33630-G01

XXXXX-XX

XXXXX-XX

33703-G02

33632-G01

XXXXX-XX

30685-G**

16705-G2

00891-G2

30056-G1

30056-G2

11162-G1

00414-G8

00559-G7

00654-G2

14390-G10

33423-G01

14601-G2

20271-G3

30589-G1

ITEM

286

287

288 289

290

291

292 293

294

295

296 297

298

299

300

301 302

303

304

305

306

307

308

309

310

311


312

THE USE OF NON U.L. PARTS When ordering parts, please s * Indicates a component that is G** Indicates consult Custome


| ARTS WILL VOID ANY U.L.LISTING. se specify the model and serial number of the product. | | | | | | | MODEL | | | | | |
|--|-----------------|----------|-----------|-----------------|-------------------|--|--------------|------|------------|--|--|--|
| at | t is i | not | avai | lable | e as a | a individual part. ent for additional information. | 775 875/P | | 956 957 | | | |
| - | | | | | | | 881 | 955 | 960 | | | |
| | 1 | 2 | 3 | 4 | 5 | DESCRIPTION | | QTY. | | | | |
| | | | | | | PLATE ASSEMBLY (INCLUDES ITEMS | - | 1 | 1 | | | |
| | | | | | | PLATE ASSEMBLY WITH HOUR METER 291 - 296) | - | 1 | 1 | | | |
| | | DE | CAL | ., C | ORAC | DLE INSERT | - | 1 | 1 | | | |
| | | SW SE | /ITC | H, I ON | GNIT FOR | ON AND LIGHTS (SEE ELECTRICAL PART NUMBER AND QUANTITY) | - | x | x | | | |
| | | | | | | OF CHARGE (SEE ELECTRICAL PART NUMBER AND QUANTITY) | _ | x | x | | | |
| | | PL | ATE | , CC | ONSO | LE INSERT WITH HOUR METER | - | 1 | 1 | | | |
| | | DE | CAL | ., C | ONSC | DLE INSERT PLATE WITH HOUR METER | - | 1 | 1 | | | |
| | | HO NU | UR MBI | ME [*] | TER (| (SEE ELECTRICAL SECTION FOR PART QUANTITY) | - | x | х | | | |
| , | CO | WL, | ME | TAL | | | 1 | - | - | | | |
| | SCI | REV | V, S | TAI | NLES | S STEEL, 1/4 - 20 X 5/8 LG | 11 | - | - | | | |
| | NU [.] | T, L(| OCK | ζ, 1/- | 4 - 20 |) | 11 | - | - | | | |
| ; | STE | EER | ING | i, C(| DLUM | IN BRACE | 1 | _ | - | | | |
| į | STE | EER | ING | CC | LUM | N BRACE | - | 1 | 1 | | | |
| - | U-B | OLT | Γ | | | | 1 | 1 | 1 | | | |
| ; | SCI | REV | V, 1/ | 4 - 2 | 20 X ⁻ | I LG | 2 | 2 | 2 | | | |
| 1 | WA | SHE | ER, | 1/4. | | | 4 | 4 | 4 | | | |
| l | NU | T, LO | OCK | (, 1/- | 4 - 20 | | 4 | 4 | 4 | | | |
| 1 | NU | T, LO | OCK | (, #1 | 0 - 24 | 4 | - | - | 2 | | | |
| (| CO | VEF | R, S | ΓΕΕ | RING | i | 1 | 1 | 1 | | | |
| İ | RIV | ET, | 3/16 | 3 | •••••• | | 3 | 3 | 3 | | | |
| I | PLU | JG, | HOL | .E | | | 1 | 1 | 1 | | | |
| | | | | | | | | | .) | | | |


HANDLE, DOOR LOCK (WITH KEY)

| THE USE | HE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. Indicates a component that is not available as an individual part. | | | | | | | | MODEL | | | |
|-------------|--|--------|-------|------|-------|--------|---|---------------------|-------------------|-------------------|--|--|
| * Indicates | s a component tl | hat is | not | avai | ilabl | e as a | ا المانية المانية المانية المانية المانية المانية المانية المانية المانية المانية المانية المانية المانية المانية | 775 875/P 881 | 952 954 955 | 956 957 960 | | |
| ITEM | PART NO. | 1 | | 3 | | 5 | DESCRIPTION DESCRIPTION | 001 | QTY. | | | |
| | | | | | | | | | G(11. | | | |
| 313 | 30590-G1 | l | | | | | TH SETSCREW) | | - | 1 | | |
| 314 | 00741-G7 | l | | | | | SS STEEL, #10 - 24 X 7/8 LG | | - | 2 | | |
| 315 | 00660-G5 | | | | | | | | - | 2 | | |
| 316 | 14390-G10 | N | UI, I | LOC | Κ, # | 10 - 2 | 24 | - | - | 2 | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | - | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | · | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |



| THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. When ordering parts, please specify the model and serial number of the product. | | | | | | | | |
|---|--|--|------|--|--|--|--|--|
| * Indicate | dicates a component that is not available as an individual part. Indicates consult Customer Service Department for additional information. | | | | | | | |
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. | | | | | |
| 1 | 73124-G04 | MOTOR (INCLUDES ITEMS 3 - 12) | 1 | | | | | |
| 2 | 73124-G05 | MOTOR, HIGH SPEED (INCLUDES ITEMS 3 - 11 AND 13) | 1 1 | | | | | |
| 3 | * | ARMATURE ASSEMBLY | 1 | | | | | |
| 4 | 73120-G03 | BRUSH SPRING | 4 | | | | | |
| 5 | 73120-G04 | BRUSH PLATE AND BOX ASSEMBLY | 1 | | | | | |
| 6 | 73120-G05 | BRUSH REPLACEMENT KIT | 1 | | | | | |
| 7 | 73120-G06 | SNAP RING | 1 | | | | | |
| 8 | 73120-G07 | BEARING | 1 | | | | | |
| 9 | 73120-G10 | CAP | 1 | | | | | |
| 10 | 73120-G13 | COMMUTATOR END HEAD | 1 | | | | | |
| 11 | 73120-G14 | HEADBAND ASSEMBLY | 1 | | | | | |
| 12 | 73120-G11 | FIELD COIL KIT (FOR STANDARD MOTOR) | 1 | | | | | |
| 13 | 73120-G12 | FIELD COIL KIT (FOR HIGH SPEED MOTOR) | 1 | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| - - | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |





THE USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING.

When ordering parts, please specify the model and serial number of the product.

* Indicates a component that is not available as a individual part.

G** Indicates consult Customer Service Department for additional information.

MODEL

875

875


875


957

| a indica | ites consuit Cus | tomer Service Department for additional information. | 881 | 957 |
|----------|------------------|---|-----|------|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | | QTY. |
| 1 | 33330-G02 | REAR AXLE AND BRAKE ASSEMBLY (INCLUDES ITEMS 2 - 21) | 1 | 1 |
| 2 | * | REAR AXLE | 1 | 1 |
| 3 | 24261-G1 | SPLINE, BUMPER | 1 | 1 |
| 4 | | | | |
| 5 | 25227-G1 | WASHER | 1 | 1 |
| 6 | 25226-G1 | PLUG, CHECK/FILL | 1 | 1 |
| 7 | 73050-G01 | VENT ASSEMBLY | 1 | 1 |
| 8 | 15558-G1 | SCREW, 5/16 - 18 X 3/4 LG | 10 | 10 |
| 9 | 25228-G1 | COVER, DIFFERENTIAL | 1 | 1 |
| 10 | 23589-G5 | AXLE SHAFT, DRIVER'S SIDE | 1 | 1 |
| 11 | 23589-G6 | AXLE SHAFT, PASSENGER SIDE | 1 | 1 |
| 12 | | | | |
| 13 | 14585-G1 | SEAL, OIL (INNER) | 2 | 2 |
| 14 | 14586-G1 | KIT, BEARING AND RETAINING (INCLUDES ITEMS 15, 16) | 1 | 1 |
| 15 | 13084-G1 | BEARING, AXLE | 1 | 1 |
| 16 | 14584-G1 | RETAINER, INNER | 1 | 1 |
| 17 | 13091-G1 | GASKET | 2 | 2 |
| 18 | | | | |
| 19 | 21557-G1 | RETAINER, OUTER | 2 | 2 |
| 20 | 21559-G1 | SEAL, WIPER | 2 | 2 |
| 21 | 14590-G1 | BOLT, LUG | 5 | 5 |
| 22 | | | | |
| 23 | 00559-G7 | WASHER, 1/4 | 3 | 3 |
| 24 | 00565-G7 | WASHER, LOCK, 1/4 | 3 | 3 |
| 25 | 00797-G2 | BOLT, 1/4 - 20 X 1 1/4 LG. | 3 | 3 |
| 26 | | | | |
| 27 | 28095-G01 | LUBRICANT, MOLY 2 OZ | AR | AR |
| | | | | |
| | | | | |

Electric Vehicle


REAR AXLE, HYDRAULIC BRAKES






| | OF NON U.L. Pering parts, plea | | | | | | .L. LISTING. serial number of the product. | | MODE | L |
|-----------|--------------------------------|--------|------|-------|-------|-------------|---|-------------------|------------|---|
| Indicates | s a component the | hat is | not | avai | labl | e as a ind | dividual part. I for additional information. | 775 952 854 | 956 960 | |
| ITEM | PART NO. | 1 | 2 | 3 | 4 | 5 | DESCRIPTION | | QTY. | |
| 1 | 31837-G2 | | | | | | Y - NO BRAKES 22) | 4 | 1 | Γ |
| 2 | | ''' | OLC | ,,,, | 0 11 | LIVIO 0 | <i></i> | ' | | |
| 3 | 24261-G1 | | SP | LIN | E, B | UMPER. | | 1 | 1 | |
| 4 | | | | | · | | | | | |
| 5 | 25227-G1 | | WA | ASH | ER, | CHECK | /FILL PLUG | 1 | 1 | |
| 6 | 25226-G1 | | PL | UG, | СН | ECK/FIL | L | 1 | 1 | |
| 7 | 73050-G01 | | VE | NT. | | ••••• | | 1 | 1 | |
| 8 | 15558-G1 | | SC | RE | N, 5 | 5/16 - 18 I | X 3/4 LG | 10 | 10 | |
| 9 | 25228-G1 | | CC | VE | R, D | IFFERE | NTIAL | 1 | 1 | |
| 10 | 23518-G3 | | AX | LE S | SHA | FT, DRI\ | VER'S SIDE | 1 | 1 | |
| 11 | 23518-G4 | | AX | LE S | SHA | FT, PAS | SENGER SIDE | 1 | 1 | ŀ |
| 12 | 32813-G1 | : | BR | AKE | E DF | RUM | | 2 | 2 | |
| 13 | 23582-G1 | | SE | AL, | AXL | .E | | 2 | 2 | |
| 14 | | | | | | | | | | |
| 15 | 23530-G2 | | RE | TAII | NIN | G RING | | 4 | 4 | |
| 16 | 23523-G1 | | ВА | LL E | BEA | RING, A | XLE | 2 | 2 | |
| 17 | 21830-G1 | | WA | NSH | ER, | OUTER | WHEEL RIM, 49/64 I.D. X 1 1/2 O.D | 2 | 2 | |
| 18 | 21809-G1 | | WA | NSH | ER, | INNER V | WHEEL RIM, 63/64 I.D. X 1 5/16 O.D | 2 | 2 | |
| 19 | 17083-G1 | | ВО | LT. | | | | 8 | 8 | |
| 20 | 00518-G8 | | NU | T, S | LO | TTED, 5/8 | 8 - 18 | 2 | 2 | |
| 21 | 10387-G1 | | PIN | 1, C | отт | TER, 1/8 | X 1 1/2 LG | 2 | 2 | |
| 22 | 15126-G1 | | NU | T, L | OCI | K, 5/16 - | 24 | 8 | 8 | |
| 23 | 00559-G7 | WA | ASHI | ER, | 1/4. | | | 3 | 3 | |
| 24 | 00565-G7 | WA | ASHI | ER, | LOC | CK, 1/4 | | 3 | 3 | |
| 25 | 00797-G2 | ВО | LT, | 1/4 - | 20 | X 1 1/4 L | _G | 3 | 3 | |
| 26 | | | | | | | | | | |
| 27 | 28095-G01 | LU | BRIG | AAC | IT, N | MOLY 2 C | DZ | AR | AR | |
| | | | | | | | | | | |
| | | | | | | | | | 1 | |

REAR AXLE, MECHANICAL BRAKES




| THE USE | OF NON U.L. P | ARTS WILL VOII | D ANY U. | L. LISTING. serial number of the product. | MODE | EL |
|------------|------------------|-----------------------------|------------|---|---------------|----|
| * Indicate | s a component tl | nat is not availabl | e as an in | dividual part. for additional information. | AS SPECIFI | ED |
| ITEM | PART NO. | 1 2 3 4 | 5 | DESCRIPTION | QTY. | • |
| 1 | 31435-G1 | LEAF SPRING FOR USE ON | | DEL ONLY | 2 | |
| 2 | 31397-G1 | | | LETE WITH BUSHINGS (5 LEAF) DELS EXCEPT 775 | 2 | |
| 3 | | | | | | |
| 4 | 31397-G2 | | | LETE WITH BUSHINGS (4 LEAF) 956 MODELS ONLY | 2 | |
| 5 | 20098-G1 | BUSHING, RU FOR USE ON | | EAF SPRING DELS EXCEPT 775 | 4 | |
| 6 | 20098-G1 | BUSHING, RU FOR USE ON | | EAF SPRING DEL ONLY | 12 | |
| 7 | | | | | | |
| 8 | | | | | | |
| 9 | 30035-G1 | SHACKLE, SF FOR USE ON | | DELS EXCEPT 775 | 2 | |
| 10 | 30035-G2 | SHACKLE, SF FOR USE ON | | DELS EXCEPT 775 | 2 | |
| 11 | 32196-G1 | PLATE, MOUI FOR USE ON | | PRING 8 775, 952, 954, 956 AND 960 | 2 | |
| 12 | 32194-G1 | PLATE, MOUI FOR USE ON | | PRING P, 881, 955 AND 957 MODELS ONLY | 2 | |
| 13 | 30553-G1 | "U" BOLT, 3/8 FOR USE ON | 875, 875 | P, 881, 955 AND 957 MODELS ONLY | 4 | |
| 14 | 11098-G5 | NUT, LOCK, 3 | 3/8 - 16 | | 8 | |
| 15 | 32195-G1 | "U" BOLT, 3/8 FOR USE ON | 775, 952 | , 954, 956 AND 960 MODELS ONLY | 4 | |
| 16 | 21781-G1 | SHOCK ABSO | ORBER | | 2 | |
| 17 | 00560-G5 | WASHER, 5/8 | | | 2 | |
| 18 | 00458-G8 | BOLT, 5/8 - 11 | X 3 LG | | 2 | |
| 19 | 00551-G5 | NUT, LOCK, 5 | /8 - 11 | | 2 | |
| 20 | | | | | | |
| 21 | 10194-G1 | BUSHING, SH | OCK ABS | SORBER | 4 | |
| 22 | 10435-G1 | WASHER, SH | OCK ABS | ORBER | 4 | |
| 23 | 00532-G6 | NUT, SHOCK | ABSORB | ER, 3/8 - 24 | 2 | |

| | OF NON U.L. P | | | | J.L.LISTING. serial number of the product. | N | IODEL | |
|-------------|------------------|--|---------------|------------------|--|---|-------|---|
| * Indicate: | s a component tl | a component that is not available as a individual part. es consult Customer Service Department for additional information. | | | | | |) |
| ITEM | PART NO. | 1 2 | 3 4 | 5 | DESCRIPTION | | QTY. | |
| 24 | 15727-G1 | BOLT, S | HOUL | .DER, 3/ | 8 - 16 X 2 3/8 LG | | 6 | |
| 25 | | | | | | | | |
| 26 | 13521-G4 | NUT, LO FOR US | | | DELS EXCEPT 775 | | 6 | |
| 27 | 00771-G2 | WASHE FOR US | | | 3 DELS EXCEPT 775 | | 16 | |
| 28 | | | | | | | | |
| 29 | 13521-G4 | NUT, LO FOR US | | | DEL ONLY | i | 2 | |
| 30 | | | | | | | | |
| 31 | | | | | | | | |
| 32 | | | | | | | | |
| 33 | 19676-G1 | NUT, LO FOR US | CK, S E ON | HACKLI 775 MO | E DEL ONLY | | 4 | |
| 34 | | | | | | : | | |
| 35 | 27458-G01 | | | | SEMBLY WITH PRESSED IN STUDS DEL ONLY | | 2 | |
| 36 | 27460-G01 | SHACKL FOR US | | | DEL ONLY | | 2 | |
| | | | | | | | : | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |




SEATING, BENCH

| " Indica | ites consult Cus | mer Service Departm | and serial number of the product. an individual part. nent for additional information. | 954 955 | 956 957 | |
|----------|------------------|---------------------|--|------------|------------|--|
| ITEM | PART NO. | 1 2 3 4 5 | DESCRIPTION | QTY. | | |
| 1 | 33018-G** | | BACK ASSEMBLY S 2 - 11) | 1 | 1 | |
| 2 | 33013-G** | | /I, SINGLE | | | |
| 3 | 11782-G2 | | - 20 | | 6 | |
| 4 | 33012-G** | BACK REST | | 1 | 1 | |
| 5 | 30021-G1 | FRAME, SEAT | | 1 | 1 | |
| 6 | 13728-G1 | BUMPER | | 2 | 2 | |
| 7 | | | | | | |
| 8 | 16705-G1 | SCREW, STAIN | NLESS STEEL, 1/4 - 20 X 1 LG | 16 | 16 | |
| 9 | 00660-G7 | WASHER, STA | JNLESS STEEL, 1/4 | 9 | 9 | |
| 10 | 00664-G7 | WASHER, STA | INLESS STEEL, LOCK, 1/4 | 9 | 9 | |
| 11 | 26584-G01 | CAP, BACKRE | ST | 1 | 1 | |
| 12 | 30031-G2 | HINGE, MALE | | 2 | 2 | |
| 13 | | | | | | |
| 14 | 16705-G5 | SCREW, STAINLES | SS STEEL, 1/4 - 20 X 1 1/2 LG | 4 | 4 | |
| 15 | 00660-G7 | WASHER, STAINLI | ESS STEEL, 1/4 | 6 | 6 | |
| 16 | 00891-G2 | NUT, LOCK, 1/4 - 2 | 0 | 4 | 4 | |
| 17 | | | | | | |
| 18 | - | | | | | |
| 19 | 16705-G1 | SCREW, STAINLES | SS STEEL, 1/4 - 20 X 1 LG | 1 | 1 | |
| 20 | 00664-G7 | WASHER, LOCK, S | STAINLESS STEEL, 1/4 | 1 | 1 | |
| 21 | | | | | | |
| 22 | 30054-G1 | NUT, MOLLY JACK | S, 1/4 - 20 | 1 | 1 | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |





SEATING, CONVERTIBLE

| *Indicates a component that is not available as an individual part. G**Indicates consult Customer Service Department for additional information. TEM | THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. When ordering parts, please specify the model and serial number of the product. | | | | |
|--|---|------------------|---|------|--|
| TTEM | * Indicate: | s a component th | hat is not available as an individual part. | 875P | |
| 2 33508-G01 CONVERTIBLE SEAT 1 3 33043-G01 SEAT BACK SUPPORT 1 4 25807-G** SEAT BACK 1 5 33012-G** BACK REST 1 6 16705-G3 SCREW, STAINLESS STEEL, 1/4 - 20 X 3/4 LG. 6 7 00976-G08 SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG. 2 8 00660-G8 WASHER, STAINLESS STEEL, 5/16 4 9 00891-G3 NUT, LOCK, 5/16 - 18. 2 10 00205-G4 SCREW, 1/4 - 20 X 1 LG. 4 11 33061-G01 SEAT DECK. 1 12 00891-G2 NUT, LOCK, 1/4 - 20. 2 13 14 1 1 15 33179-G01 PIN, ACTUATOR. 1 16 33180-G01 SPRING, COMPRESSION. 1 17 00793-G2 WASHER, 1/4. 1 18 33178-G01 PUSHNUT 1 19 30215-G1 BUSHING 1 20 00976-G08 SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG. 2 <tr< th=""><th></th><th></th><th></th><th>QTY.</th></tr<> | | | | QTY. | |
| 3 33043-G01 SEAT BACK SUPPORT | 1 | 33523-G** | CONVERTIBLE SEAT ASSEMBLY (INCLUDES ITEMS 2 - 19) | 1 | |
| 4 25807-G** SEAT BACK 1 5 33012-G** BACK REST 1 6 16705-G3 SCREW, STAINLESS STEEL, 1/4 - 20 X 3/4 LG. 6 7 00976-G08 SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG. 2 8 00660-G8 WASHER, STAINLESS STEEL, 5/16 4 9 00891-G3 NUT, LOCK, 5/16 - 18 2 10 00205-G4 SCREW, 1/4 - 20 X 1 LG. 4 11 33061-G01 SEAT DECK. 1 12 00891-G2 NUT, LOCK, 1/4 - 20 2 13 14 1 1 15 33179-G01 PIN, ACTUATOR. 1 16 33180-G01 SPRING, COMPRESSION. 1 17 00793-G2 WASHER, 1/4. 1 18 33178-G01 PUSHNUT. 1 19 30215-G1 BUSHING. 1 20 21 00976-G08 SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG. 2 21 00660-G8 WASHER, 5/16. 6 | 2 | 33508-G01 | CONVERTIBLE SEAT | | |
| 5 33012-G** BACK REST 1 6 16705-G3 SCREW, STAINLESS STEEL, 1/4 - 20 X 3/4 LG. 6 7 00976-G08 SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG. 2 8 00660-G8 WASHER, STAINLESS STEEL, 5/16 4 9 00891-G3 NUT, LOCK, 5/16 - 18. 2 10 00205-G4 SCREW, 1/4 - 20 X 1 LG. 4 11 33061-G01 SEAT DECK. 1 12 00891-G2 NUT, LOCK, 1/4 - 20. 2 13 14 2 15 33179-G01 PIN, ACTUATOR. 1 16 33180-G01 SPRING, COMPRESSION. 1 17 00793-G2 WASHER, 1/4. 1 18 33178-G01 PUSHNUT. 1 19 30215-G1 BUSHING. 1 20 21 00976-G08 SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG. 2 21 00660-G8 WASHER, 5/16. 6 | 3 | 33043-G01 | SEAT BACK SUPPORT | 1 | |
| 6 16705-G3 SCREW, STAINLESS STEEL, 1/4 - 20 X 3/4 LG. 6 7 00976-G08 SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG. 2 8 00660-G8 WASHER, STAINLESS STEEL, 5/16 4 9 00891-G3 NUT, LOCK, 5/16 - 18 2 10 00205-G4 SCREW, 1/4 - 20 X 1 LG. 4 11 33061-G01 SEAT DECK. 1 12 00891-G2 NUT, LOCK, 1/4 - 20 2 13 14 15 33179-G01 PIN, ACTUATOR. 1 16 33180-G01 SPRING, COMPRESSION. 1 17 00793-G2 WASHER, 1/4 1 18 33178-G01 PUSHNUT. 1 19 30215-G1 BUSHING. 1 20 21 00976-G08 SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG. 2 21 00660-G8 WASHER, 5/16 6 | 4 | 25807-G** | SEAT BACK | 1 | |
| 7 00976-G08 SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG. 2 8 00660-G8 WASHER, STAINLESS STEEL, 5/16 4 9 00891-G3 NUT, LOCK, 5/16 - 18 2 10 00205-G4 SCREW, 1/4 - 20 X 1 LG. 4 11 33061-G01 SEAT DECK 1 12 00891-G2 NUT, LOCK, 1/4 - 20 2 13 14 15 33179-G01 PIN, ACTUATOR 1 16 33180-G01 SPRING, COMPRESSION 1 17 00793-G2 WASHER, 1/4 1 18 33178-G01 PUSHNUT 1 19 30215-G1 BUSHING 1 20 21 00976-G08 SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG. 2 21 00660-G8 WASHER, 5/16 6 | 5 | 33012-G** | BACK REST | 1 | |
| 8 00660-G8 WASHER, STAINLESS STEEL, 5/16 4 9 00891-G3 NUT, LOCK, 5/16 - 18 2 10 00205-G4 SCREW, 1/4 - 20 X 1 LG 4 11 33061-G01 SEAT DECK 1 12 00891-G2 NUT, LOCK, 1/4 - 20 2 13 14 1 15 33179-G01 PIN, ACTUATOR 1 16 33180-G01 SPRING, COMPRESSION 1 17 00793-G2 WASHER, 1/4 1 18 33178-G01 PUSHNUT 1 19 30215-G1 BUSHING 1 20 21 00976-G08 SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG 2 21 00660-G8 WASHER, 5/16 6 | 6 | 16705-G3 | SCREW, STAINLESS STEEL, 1/4 - 20 X 3/4 LG | 6 | |
| 9 00891-G3 NUT, LOCK, 5/16 - 18 | 7 | 00976-G08 | SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG | 2 | |
| 10 00205-G4 SCREW, 1/4 - 20 X 1 LG. 4 11 33061-G01 SEAT DECK | 8 | 00660-G8 | WASHER, STAINLESS STEEL, 5/16 | 4 | |
| 11 33061-G01 SEAT DECK | 9 | 00891-G3 | NUT, LOCK, 5/16 - 18 | 2 | |
| 12 00891-G2 NUT, LOCK, 1/4 - 20 | 10 | 00205-G4 | SCREW, 1/4 - 20 X 1 LG. | 4 | |
| 13 14 15 33179-G01 PIN, ACTUATOR | 11 | 33061-G01 | SEAT DECK | 1 | |
| 14 15 33179-G01 PIN, ACTUATOR | 12 | 00891-G2 | NUT, LOCK, 1/4 - 20 | 2 | |
| 15 33179-G01 PIN, ACTUATOR | 13 | | | | |
| 16 33180-G01 SPRING, COMPRESSION | 14 | | | | |
| 17 00793-G2 WASHER, 1/4 | 15 | 33179-G01 | PIN, ACTUATOR | 1 | |
| 18 33178-G01 PUSHNUT 1 19 30215-G1 BUSHING 1 20 21 00976-G08 SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG 2 22 00660-G8 WASHER, 5/16 6 | 16 | 33180-G01 | SPRING, COMPRESSION | 1 | |
| 19 30215-G1 BUSHING 1 20 21 00976-G08 SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG 2 22 00660-G8 WASHER, 5/16 6 | 17 | 00793-G2 | WASHER, 1/4 | 1 1 | |
| 20 21 00976-G08 SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG | 18 | 33178-G01 | PUSHNUT | 1 | |
| 21 00976-G08 SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG. 2 22 00660-G8 WASHER, 5/16. 6 | 19 | 30215-G1 | BUSHING | 1 | |
| 22 00660-G8 WASHER, 5/16 | 20 | | | | |
| | 21 | 00976-G08 | SCREW, STAINLESS STEEL, 5/16 - 18 X 1 LG | 2 | |
| 23 00891-G3 NUT, LOCK, 5/16 - 18 | 22 | 00660-G8 | WASHER, 5/16 | 6 | |
| | 23 | 00891-G3 | NUT, LOCK, 5/16 - 18 | 2 | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. MODEL When ordering parts, please specify the model and serial number of the product. 952 956 * Indicates a component that is not available as an individual part. 954 957 G** Indicates consult Customer Service Department for additional information. 955 960 **ITEM** PART NO. 1 2 3 4 5 **DESCRIPTION** QTY. 33019-G** 1 FRONT SEAT ASSEMBLY (INCLUDES ITEMS 2 - 11) 1 1 2 33015-G** SEAT BOTTOM, PASSENGER SIDE..... 1 3 33015-G** SEAT BOTTOM, DRIVER'S SIDE 1 1 33012-G** SEAT BACK..... 4 1 1 30021-G1 5 SEAT FRAME..... 1 13728-G1 6 BUMPER 2 2 11782-G2 NUT, TEE, 1/4 - 20..... 6 8 16705-G1 SCREW, STAINLESS STEEL, 1/4 - 20 X 1 LG. 18 18 9 00660-G7 WASHER, STAINLESS STEEL, 1/4..... 11 11 00664-G7 10 WASHER, STAINLESS STEEL, 1/4..... 11 11 11 26584-G01 CAP, BACKREST 1 1 12 30408-G1 SPACER, HINGE 13 4 SCREW, 1/4 - 20 X 1 1/2 LG..... 14 16705-G5 4 WASHER, 1/4..... 15 00660-G7 6 00891-G2 16 NUT, LOCK, 1/4 - 20 4 17 30031-G2 HINGE, MALE..... 2 18 SCREW, 1/4 - 20 X 1 LG..... 19 16705-G1 1 1 20 00664-G7 WASHER, LOCK, 1/4..... 1 1 21 22 30054-G2 NUT, MOLLY JACK, 1/4 - 20..... 1






Electric Vehicle

| | E USE OF NON U.L. PARTS WILL VOID ANY U.L.LISTING. en ordering parts, please specify the model and serial number of the product. | | | | | | L | | |
|-------------|--|--------------|-------|--------|---|--|------------|-------------|--|
| * Indicates | s a component the | hat is not a | ıvail | lable | e as a inc | dividual part. t for additional information. | 775 875 | 875P 881 | |
| ITEM | PART NO. | 1 2 | | • | | DESCRIPTION | 0.3 | QTY. | |
| I I km IVI | | | | | | | | | |
| 1 | 33545-G01 | | | | | Γ | | 1 | |
| 2 | 16705-G3 | | • | | | STEEL, 1/4 - 20 X 3/4 LG | | 8 | |
| 3 | 00891-G2 | NUT, LO | OCK | (, 1/4 | 4 - 20 | | 8 | 8 | |
| 4 | | | | | | | | | |
| 5 | 16705-G1 | | • | | | STEEL, 1/4 - 20 X 1 | | 4 | |
| 6 | 00664-G7 | | | | | STEEL, 1/4 | | 4 | |
| 7 | 00915-G1 | WASHE | R, | #14. | • | | 4 | 4 | |
| 8 | | | | | | | | | |
| 9 | 00654-G3 | NUT, LO | OCK | (, S1 | rainles | SS STEEL, 5/16 - 18 | 2 | 2 | |
| 10 | 00722-G4 | | | | | EEL, 5/16 - 18 X 1/2 LG | | 2 | |
| 11 | 30746-G1 | | | | | | | 1 | |
| 12 | 00660-G8 | WASHE | R, | STA | INLESS | STEEL, 5/16 | 8 | 8 | |
| 13 | | | | | | | | | |
| 14 | 33773-G01 | | | | | SSENGER SIDE (INCLUDES ITEMS | 1 | 1 | |
| 15 | 33773-G02 | | | | | IVER'S SIDE (INCLUDES ITEMS | 1 | 1 | |
| 16 | 33772-G01 | DEC | CK, | SEA | AT, PASS | SENGER SIDE | 1 | 1 | |
| 17 | 33772-G02 | DEC | CK, | SEA | AT, DRIV | ZER'S SIDE (WITH HOLE) | 1 | 1 | |
| 18 | 33769-G01 | BRA | ACK | ŒT, | SEAT | | 2 | 2 | |
| 19 | 33771-G01 | BRA | ACK | ET. | ASSEM | BLY (INCLUDES ITEMS 20 - 23) | 2 | 2 | |
| 20 | 00762-G6 | | sc | REV | V, STAIN | NLESS STEEL, 5/16 - 18 X 1 3/4 LG | 1 | 1 | |
| 21 | 11098-G6 | | NU | T, L | OCK, 5/ | 16 - 18 | 1 | 1 | |
| 22 | 33768-G01 | | SP | RIN | G, COM | PRESSION | 1 | 1 | |
| 23 | 33770-G01 | | BR | ACK | KET, RE | TAINER | 1 | 1 | |
| 24 | | | | | | | | | |
| 25 | 00114-G6 | SCI | REV | V, 1/ | ⁄4 - 14 X | 3/4 LG | 8 | 8 | |
| 26 | 12727-G12 | GAS | SKE | ET, S | SEAT | | 1 | 1 | |
| 27 | * | STA | PLI | E, F | LAT | | 10 | 10 | |
| 28 | | | | | | | | | |
| 29 | | | | | | | | | |


| THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. When ordering parts, please specify the model and serial number of the product. | | | | | IODEL | |
|---|--|------------|--------------------------------------|----|--------------|--|
| * Indicate: | s a component that is not available as an individual part. Ites consult Customer Service Department for additional information. | | | | | |
| ITEM | PART NO. | 1 2 3 4 | | | QTY. | |
| 30 | 33014-G** | SEAT BOTT | DM ASSEMBLY (INCLUDES ITEMS 31 - 36) | 1 | 1 | |
| 31 | 32882-G01 | BOTTOM | 1, PLYWOOD | 1 | 1 | |
| 32 | 26557-G01 | BOTTON | 1, FOAM | 1 | 1 | |
| 33 | 26558-G** | COVER, | SEAT BOTTOM | 1 | 1 | |
| 34 | | | | | | |
| 35 | 11782-G2 | NUT, TE | E, 1/4 - 20 | 4 | 4 | |
| 36 | * | STAPLE | | AR | AR | |
| 37 | | | | | | |
| 38 | 30680-G1 | SPACER, DE | ECK | 1 | 1 | |
| 39 | 00774-G1 | SCREW, ST | AINLESS, STEEL, 1/4 - 20 X 3 LG | 2 | 2 | |
| 40 | 16705-G8 | SCREW, ST | AINLESS, STEEL, 1/4 - 20 X 2 LG | 2 | 2 | |
| 41 | | | | | | |
| 42 | 16469-G1 | WASHER, 1 | 4 | 4 | 4 | |
| 43 | | | | : | | |
| 44 | 33704-G** | BACK REST | ASSEMBLY (INCLUDES ITEMS 45 - 50) | 1 | 1 | |
| 45 | 26566-G02 | BACK, F | OAM | 1 | 1 | |
| 46 | 33705-G01 | BACK, P | LYWOOD | 1 | 1 | |
| 47 | 26565-G** | COVER, | BACK REST | 1 | 1 | |
| 48 | | | | | | |
| 49 | 11782-G2 | NUT, TE | E, 1/4 - 20 | 4 | 4 | |
| 50 | * | STAPLE | | AR | AR | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | : | | | | | |
| | | | | | | |
| | | | | | | |
| | L | | | | | |



SEATING, PEDESTAL

| | THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. When ordering parts, please specify the model and serial number of the product | | | | | | MODE | L | |
|-------------|--|---|---|------------|---|---|-------------|------|--|
| * Indicate: | When ordering parts, please specify the model and serial number of the product. Indicates a component that is not available as an individual part. 3** Indicates consult Customer Service Department for additional information. | | | 955 957 | | | | | |
| ITEM | PART NO. | 1 | 2 | 3 | 4 | 5 | DESCRIPTION | OTY. | |

| | | tomer Service Department for additional information. | 955 957 |
|------|-----------|--|------------|
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. |
| 1 | 33050-G** | PEDASTAL SEAT ASSEMBLY (INCLUDES ITEMS 2 - 10) | 1 |
| 2 | 33013-G** | BENCH SEAT | 1 1 |
| 3 | 11782-G2 | NUT, TEE, 1/4 - 20 | 6 |
| 4 | 33012-G** | BACK REST | 1 1 |
| 5 | 30615-G1 | FRAME, SEAT | 1 1 |
| 6 | 26584-G01 | CAP, BACKREST | 1 1 |
| 7 | 16705-G1 | SCREW, 1/4 - 20 X 1 LG | 11 |
| 8 | 00660-G7 | WASHER, 1/4 | 11 |
| 9 | 00664-G7 | WASHER, LOCK, 1/4 | 11 |
| 10 | 00740-G4 | SCREW, STAINLESS STEEL, #10 - 32 X 1/2 LG | 5 |
| 11 | 00439-G4 | SCREW, 5/16 - 18 X 1 1/2 LG | 4 |
| 12 | 11098-G6 | NUT, LOCK, 5/16 - 18 | 4 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |




STEERING

| nen orde | ering parts, plea | se specify the model and serial number of the product. | MODEL |
|----------|-------------------|--|---------------|
| ndicates | a component the | nat is not available as an individual part. comer Service Department for additional information. | ALL MODELS |
| TEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. |
| 1 | | | |
| 2 | | | |
| 3 | 27102-G01 | HOLDER, CLIPBOARD | 1 |
| 4 | 18464-G1 | SCREW, #8 X 7/8 LG. | 2 |
| 5 | | | |
| 6 | | | |
| 7 | 18325-G1 | STEERING WHEEL ASSEMBLY (INCLUDES ITEMS 8 - 10) | 1 |
| 8 | 23225-G1 | HUB, COVER EXTENSION | 1 |
| 9 | | | |
| 10 | 23172-G1 | WHEEL, STEERING | 1 1 |
| 11 | | | |
| 12 | 14390-G2 | NUT, LOCK, 5/8 - 18 | . 1 1 |
| 13 | 16772-G1 | SEAL, STEERING WHEEL | 1 |
| 14 | 19152-G8 | STEERING UNIT ASSEMBLY (INCLUDES ITEMS 15 - 57) | 1 |
| 15 | 17163-G3 | STEERING SHAFT ASSEMBLY (INCLUDES ITEMS 16 - 20) | |
| 16 | * | SHAFT, STEERING | . 1 1 |
| 17 | * | PIN, DOWEL, 1/4 | . 2 |
| 18 | * | COUPLING | . 1 1 |
| 19 | * | WASHER, THRUST | . 1 |
| 20 | * | PINION, STEERING | . 1 1 |
| 21 | 19153-G5 | STEERING COLUMN UNIT | . 1 1 |
| 22 | | | |
| 23 | * | GREASE FITTING | . 11 |
| 24 | 00444-G8 | SCREW, 5/16 - 24 X 1 LG | . 4 |
| 25 | 00565-G8 | WASHER, LOCK, 5/16 | . 4 |
| 26 | | | |
| 27 | 17140-G1 | SLEEVE | . 1 |
| 28 | 17161-G1 | BUSHING | . 1 |
| 29 | | | |

| When ord | ering narte inlea | se specify the model and serial number of the product. | MODEL |
|-------------|-------------------|---|---------------|
| * Indicates | s a component the | nat is not available as a individual part. comer Service Department for additional information. | ALL MODELS |
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. |
| 30 | 00118-G2 | SCREW, #6 - 18 X 1/4 LG | 1 |
| 31 | | | |
| 32 | 51294-G1 | WASHER, WAVE | 2 |
| 33 | | | |
| 34 | 23279-G1 | GEAR, REDUCTION | 1 1 |
| 35 | 13059-G2 | WASHER, THRUST | 1 1 |
| 36 | | | |
| 37 | 19154-G1 | GASKET, HOUSING | 1 |
| 38 | 17618-G1 | CLAMP, NYLON | 1 |
| 39 | | | |
| 40 | | | |
| 41 | | | |
| 42 | | | |
| 43 | 13097-G1 | HOUSING ASSEMBLY (INCLUDES ITEM 44) | 1 |
| 44 | 13570-G1 | COVER, RACK | 1 1 |
| 45 | 15407-G1 | RACK AND ROD END ASSEMBLY (INCLUDES ITEMS 48 - 57) | 1 |
| 46 | | | |
| 47 | | | |
| 48 | 18456-G1 | GREASE FITTING | 1 |
| 49 | * | RUBBER BOOT, TIE ROD END | 1 |
| 50 | | | |
| 51 | | | |
| 52 | | | |
| 53 | 17617-G1 | BELLOWS | 1 1 |
| 54 | | | |
| 55 | 11391-G1 | CLAMP, HOSE | 1 |
| 56 | | | |
| 57 | 50209-G1 | NUT, CASTELLATED, 7/16 - 20 | |
| 58 | 10387-G2 | PIN, COTTER, 3/16 X 1 LG | 1 |

| When ord | ering narte nlea | se specify the model and serial number of the product. | MODEL |
|-------------|------------------|--|---------------|
| * Indicates | a component the | nat is not available as an individual part. Comer Service Department for additional information. | ALL Models |
| ITEM | PART NO. | 1 2 3 4 5 DESCRIPTION | QTY. |
| 59 | | | |
| 60 | 00276-G6 | SCREW, 5/16 - 24 X 3/4 LG | 3 |
| 61 | 00565-G8 | WASHER, LOCK, 5/16 | 3 |
| 62 | | | |
| 63 | · | | |
| 64 | | | |
| 65 | | | |
| 66 | 33225-G01 | CHANNEL, STEERING | 1 |
| 67 | 11098-G6 | NUT, LOCK, 5/16 - 18 | 7 |
| 68 | 00438-G7 | SCREW, 5/16 - 18 X 7/8 LG | 7 |
| 69 | 33265-G01 | IDLER ASSEMBLY (INCLUDES ITEMS 70 - 72) | 1 |
| 70 | 15012-G1 | BUSHING | 2 |
| 71 | 10389-G3 | GREASE FITTING | 1 |
| 72 | 33265-G01 | IDLER | .1 |
| 73 | 20788-G2 | TIE ROD ASSEMBLY, RUBBER BOOT INCLUDED (INCLUDES ITEMS 74 - 77) | 1 |
| 74 | 20795-G1 | TIE ROD END, DRIVER'S SIDE | 1 |
| 75 | 20795-G2 | TIE ROD END, PASSENGER SIDE | 1 |
| 76 | 70583-G03 | THREADED TUBE WITH FLAT | 1 |
| 77 | * | NUT, CASTELLATED, 7/16 - 20 | 3 |
| 78 | 10387-G6 | PIN, COTTER, 3/16 x 1 /4 LG | 3 |
| 79 | | | |
| 80 | | | |
| 81 | 33264-G01 | SHAFT, IDLER | 1 1 |
| 82 | 00559-G8 | WASHER, 5/16 | 3 |
| | | | |
| · | | | |
| | | | |
| | | | |
| | | | |
| | | | |



WHEELS AND TIRES

THE USE OF NON U.L. PARTS WILL VOID ANY U.L. LISTING. MODEL When ordering parts, please specify the model and serial number of the product. * Indicates a component that is not available as an individual part. AS DESIGNATED G** Indicates consult Customer Service Department for additional information. **ITEM** PART NO. 2 3 4 5 DESCRIPTION QTY. 1 32028-G2 CARLISLE WHEEL AND TIRE ASSEMBLY, 18.5 X 8.5 - 8 PLY (INCLUDES ITEMS 2 - 4) STANDARD ON ALL MODELS EXCEPT XI-775, OPTIONAL ON XI-775 4 2 10641-G2 WHEEL 1 11657-G1 3 STEM, VALVE..... 1 27775-G02 TIRE, CARLISLE 4 5 6 32168-G2 CARLISLE WHEEL AND TIRE ASSEMBLY, 4.80 X 8 - 6 PLY (INCLUDES ITEMS 7 - 9) STANDARD ON XI-775 MODEL ONLY.... WHEEL 7 23385-G1 STEM, VALVE..... 26482-G01 8 TIRE, CARLISLE 33679-G01 9 10 11 12 13 14 15 16 32153-G2 CARLISLE WHEEL AND TIRE ASSEMBLY, 5.70 X 8 (INCLUDES ITEMS 17 - 19) OPTIONAL ON XI-775 MODEL ONLY. 23385-G1 17 WHEEL..... 1 26482-G01 18 STEM, VALVE..... TIRE, CARLISLE 19 27784-G03

20

21

14723-G1

LUG NUT, 1/2 - 20.....

5

SPECIAL TOOLS

SPECIAL TOOLS LISTING

SPECIAL TOOLS

Part No.

SPECIAL TOOLS

| REAR AXLE SHAFT SEAL) | 18739-G1 |
|---------------------------------|-----------------------|
| CURRENT INDICATOR | 16489-G2 |
| DIGITALVOLT OHM METER (DVOM) | 27481-G0 |
| CRIMPING TOOL | 27765-G0 ⁻ |
| SLIDE HAMMER (AXLE) | 18753-G1 |
| SLIDE HAMMER (HUB/DRUM REMOVAL) | 15947-G1 |

PAINT

CONTACT CUSTOMER REPRESENTATIVE FOR COLOR SPECIFICATIONS AND PART NUMBERS

VEHICLE SPECIFICATIONS

ELECTRIC PERSONNEL CARRIER PCX-952

TWO PASSENGER CARGO TRUCK

| WEIGHT (without batteries) | 840.0 LBS. (381.5 kg) |
|---|---|
| LENGTH (total) | |
| LENGTH (from bulkhead) | |
| WIDTH (at rear wheels) | 46.0 IN. (116.9 cm) |
| HEIGHT (at steering wheel) | 45.5 IN. (115.6 cm) |
| HEIGHT (at deck) | |
| HEIGHT (at top if equipped) | |
| FLOOR HEIGHT | 11.0 IN. (27.9 cm) |
| GROUND CLEARANCE (at differential) | 5.0 IN . (12.7 cm) |
| SEAT HEIGHT | 29.0 IN. (73.7 cm) |
| WHEEL BASE | |
| WHEEL TREAD | 35.0 IN. (88.9 cm) |
| TURNING CLEARANCE DIAMETER | 22.0 FT. (6.71 m) |
| INTERSECTING AISLE CLEARANCE | 77.0 IN. (195.6 cm) |
| TIRES | 18.5 x 8.5 x 8 |
| TIRE PRESSURE | 50 P.S.I. Cold (344.0 kPa) |
| LOAD CAPACITY (including operator, passengers | · |
| cargo and accessories) | |
| CARGO DECK WIDTH | |
| CARGO DECK LENGTH | |
| SPEED | 12 m.p.h (19.3 km/h) |
| CHASSIS | Welded high yield strength tubular steel |
| BODY | Frost beige fiberglass reinforced plastic |
| SAFETY | Removable switch key, electric horn, brake lights, handgrip and |
| | hip restraints, reverse warning indicator, 'deadman' accelerator |
| LICHTING DACKAGE | control, manual forward and reverse switch with "neutral" |
| ETERDING WHEEL | Dual halogen headlights, taillights, backup lights and brake lights |
| STEERING WHEEL | Molded high impact plastic, dual handgrips, pencil holder, and clipboard |
| CARGO DECK | Removable for seeses to drive peakers |
| FRONT SUSPENSION | Hemovable for access to drive package |
| DEAD CHODENCION | Heavy duty multiple leaf springsHeavy duty multiple leaf springs with hydraulic shock absorbers |
| STEERING | neavy duty multiple leaf springs with nydraulic snock absorbers |
| CENTER CONSOLE | |
| SEATING | |
| BRAKES | |
| | |
| MOTOR | |
| BATTERIES | |
| CHARGER | Portable Total Charge III |

ELECTRIC PERSONNEL CARRIER PCX-954

FIVE PASSENGER COURTESY/CARGO VEHICLE

| WEIGHT (without batteries) | 940 LPC (201 E kg) |
|--|---|
| LENGTH (total) | 040 LBS. (301.5 kg) |
| LENGTH (rear deck) | 129.0 IN. (327.7 CIII) |
| WIDTH (at rear wheels) | 57.0 IN. (94.0 CIII) |
| HEIGHT (at steering wheel) | 40.0 IIV. (110.9 CM) |
| UEIGHT (at scenning wheel) | 45.5 IN. (115.6 CM) |
| HEIGHT (at deck) | 28.0 IN. (71.1 CM) |
| HEIGHT (at top if equipped) | /5.0 IN. (190.5 cm) |
| FLOOR HEIGHT | 11.0 IN. (27.9 cm) |
| GROUND CLEARANCE (at differential) | 5.0 IN. (12.7 cm) |
| SEAT HEIGHT | 29.0 IN. (/3./ cm) |
| WHEEL BASE | 52.5 IN. (133.4 cm) |
| WHEEL TREAD | 35.0 IN. (88.9 cm) |
| TURNING CLEARANCE DIAMETER | 22.0 FT. (6.7 m) |
| INTERSECTING AISLE CLEARANCE | |
| TIRES | 18.5 x 8.5 x 8 |
| TIRE PRESSURE | 50 P.S.I. Cold (344.0 kPa) |
| LOAD CAPACITY (including operator, passengers, | |
| cargo and accessories) | 2,000.0 LBS. (908.3 kg) |
| CARGO DECK WIDTH | 46.0 IN. (116.8 cm) |
| CARGO DECK LENGTH | 37.0 IN. (94.0 cm) |
| SPEED | 12 m.p.h (19.3 km/h) |
| CHASSIS | Welded high yield strength tubular steel |
| BODY | Frost beige fiberglass reinforced plastic |
| SAFETY | Removable switch key, electric horn, brake lights, handgrip and |
| | hip restraints, reverse warning indicator, 'deadman' accelerator |
| LICUTING DACKAGE | control, manual forward and reverse switch with "neutral" |
| LIGHTING PACKAGE | Dual halogen headlights, taillights, backup lights and brake lights |
| STEERING WHEEL | clipboard |
| CARGO DECK | Removable for access to drive package |
| FRONT SUSPENSION | Heavy duty multiple leaf springs |
| REAR SUSPENSION | Heavy duty multiple leaf springs with hydraulic shock absorbers |
| STEERING | Double reduction rack and pinion |
| CENTER CONSOLE | Instrument panel with four drink holders |
| SEATING | |
| BRAKES | Dual rear wheel mechanical drum brakes |
| MOTOR | |
| BATTERIES | 6. Six volt. 220 AH |
| CHARGER | |
| | Totalio Total Offarge III |

ELECTRIC PERSONNEL CARRIER PCX-955

EIGHT PASSENGER COURTESY/CARGO VEHICLE

| WEIGHT (without batteries) | 960 LRS (436 0 kg) |
|--|--|
| LENGTH (total) | 300 EBS. (430.0 kg) |
| LENGTH (rear deck) | 37 0 IN (94 0 cm) |
| LENGTH (rear of driver's seat to front of rear seat) | 42 6 IN (108 2 cm) |
| WIDTH (at rear wheels) | 46.0 IN (116.8 cm) |
| HEIGHT (at steering wheel) | 45.5 IN (115.6 cm) |
| HEIGHT (at rear deck) | 28 0 IN (71.1 cm) |
| HEIGHT (at top of rear seat) | 41.5 IN. (105.4 cm) |
| HEIGHT (at top if equipped) | 75.0 IN. (190.5 cm) |
| FLOOR HEIGHT | 11.0 IN. (27.9 cm) |
| GROUND CLEARANCE (at differential) | 5.0 IN. (12.7 cm) |
| SEAT HEIGHT | 29.0 IN. (73.7 cm) |
| WHEEL BASE | 79.5 IN. (202.0 cm) |
| WHEEL TREAD | 35.0 IN. (88.9 cm) |
| TURNING CLEARANCE DIAMETER | 28.0 FT. (8.6 m) |
| INTERSECTING AISLE CLEARANCE | 98.0 IN. (248.9 cm) |
| TIRES | 18.5 x 8.5 x 8 |
| TIRE PRESSURE | 50 P.S.I. Cold (344.0 kPa) |
| LOAD CAPACITY (including operator, passengers, | |
| cargo and accessories) | 2,500.0 LBS. (1,135.3 kg) |
| CARGO DECK WIDTH | 46.0 IN. (116.8 cm) |
| CARGO DECK LENGTH | 37.0 IN. (94.0 cm) |
| SPEED | 12 m.p.h (19.3 km/h) |
| CHASSIS | Welded high yield strength tubular steel |
| BODY | Frost beige fiberglass reinforced plastic |
| 5AFETY | Removable switch key, electric horn, brake lights, handgrip and |
| | hip restraints, reverse warning indicator, 'deadman' accelerator control, manual forward and reverse switch with "neutral" |
| LIGHTING PACKAGE | Dual halogen headlights, taillights, backup lights and brake lights |
| STEERING WHEEL | Molded high impact plastic, dual handgrins, pencil holder, and |
| | clipboard |
| CARGO DECK | Removable for access to drive package |
| FRONT SUSPENSION | Heavy duty multiple leaf springs |
| REAR SUSPENSION | Heavy duty multiple leaf springs with hydraulic shock absorbers |
| STEERING | Double reduction rack and pinion |
| CENTER CONSOLE | Instrument panel with four drink holders |
| SEATING | Fabric backed vinyl over cushion foam |
| BRAKES | Dual rear wheel hydraulic drum brakes |
| MOTOR | 6.5 HP AT 1,500 r.p.m. Solid State Speed Control |
| BATTERIES | 6, Six volt, 220 AH |
| CHARGER | Portable Total Charge III |

ELECTRIC PERSONNEL CARRIER PCX-956

EIGHT PASSENGER COURTESY VEHICLE

| WEIGHT (without batteries) | 840 LBS. (381.5 kg) |
|--|--|
| LENGTH (total) | 129.0 IN. (327.7 cm) |
| WIDTH (at rear wheels) | 46.0 IN. (116.9 cm) |
| HEIGHT (at steering wheel) | 45.5 IN. (115.6 cm) |
| HEIGHT (at top of rear seat) | 41.5 IN. (105.4 cm) |
| HEIGHT (at top if equipped) | 75.0 IN. (190.5 cm) |
| FLOOR HEIGHT | 11.0 IN. (27.9 cm) |
| GROUND CLEARANCE (at differential) | 5.0 IN. (12.7 cm) |
| SEAT HEIGHT | 29.0 IN. (73.7 cm) |
| WHEEL BASE | 52.5 IN. (133.4 cm) |
| WHEEL TREAD | 35.0 IN. (88.9 cm) |
| TURNING CLEARANCE DIAMETER | . 22.0 FT. (6.7 m) |
| INTERSECTING AISLE CLEARANCE | 77.0 IN . (195.6 cm) |
| TIRES | . 18.5 x 8.5 x 8 |
| TIRE PRESSURE | . 50 P.S.I. Cold (344.0 kPa) |
| LOAD CAPACITY (including operator, passengers, | |
| cargo and accessories) | . 2,000.0 LBS. (908.3 kg) |
| SPEED | . 12 m.p.h (19.3 km/h) |
| CHASSIS | . Welded high yield strength tubular steel |
| BODY | . Frost beige fiberglass reinforced plastic |
| SAFETY | . Removable switch key, electric horn, brake lights, handgrip and |
| | hip restraints, reverse warning indicator, 'deadman' accelerator control, manual forward and reverse switch with "neutral" |
| LIGHTING PACKAGE | Dual halogen headlights, taillights, backup lights, and brake lights |
| STEERING WHEEL | Molded high impact plastic dual handgrins pencil holder and |
| | clipboard |
| FRONT SUSPENSION | . Heavy duty multiple leaf springs |
| REAR SUSPENSION | . Heavy duty multiple leaf springs with hydraulic shock absorbers |
| STEERING | . Double reduction rack and pinion |
| CENTER CONSOLE | . Instrument panel with four drink holders |
| SEATING | . Fabric backed vinyl over cushion foam |
| BRAKES | . Dual rear wheel mechanical drum brakes |
| MOTOR | . 6.5 HP AT 1,500 r.p.m. Solid State Speed Control |
| BATTERIES | . 6, Six volt, 220 AH |
| CHARGER | . Portable Total Charge III |

ELECTRIC PERSONNEL CARRIER PCX-957

ELEVEN PASSENGER COURTESY VEHICLE

| WEIGHT (without batteries) | |
|--|--|
| LENGTH (total) | |
| LENGTH (from rear of driver's set to front of rear sea | |
| WIDTH (at rear wheels) | |
| HEIGHT (at steering wheel) | |
| HEIGHT (at top of rear seat) | 41.5 IN. (105.4 cm) |
| HEIGHT (at top if equipped) | 75.0 IN. (190.5 cm) |
| FLOOR HEIGHT | 11.0 IN. (27.9 cm) |
| GROUND CLEARANCE (at differential) | 5.0 IN. (12.7 cm) |
| SEAT HEIGHT | 29.0 IN. (73.7 cm) |
| WHEEL BASE | 79.5 IN. (201.9 cm) |
| WHEEL TREAD | 35.0 IN. (88.9 cm) |
| TURNING CLEARANCE DIAMETER | 28.0 FT. (8.5 m) |
| INTERSECTING AISLE CLEARANCE | |
| TIRES | |
| TIRE PRESSURE | 50 P.S.I. Cold (344.0 kPa) |
| LOAD CAPACITY (including operator, passengers, | |
| cargo and accessories) | |
| SPEED | 12 m.p.h (19.3 km/h) |
| CHASSIS | |
| BODY | Frost beige fiberglass reinforced plastic |
| SAFETY | |
| | hip restraints, reverse warning indicator, 'deadman' accelerator control, manual forward and reverse switch with "neutral" |
| LICHTING BACKAGE | |
| STEEDING WHEEL | |
| STEERING WITELE | clipboard |
| FRONT SUSPENSION | |
| REAR SUSPENSION | |
| STEERING | Double reduction rack and pinion |
| | |
| SEATING | |
| BRAKES | |
| | |
| BATTERIES | |
| CHARGER | |
| | |

ELECTRIC PERSONNEL CARRIER BCX-960

TWO PASSENGER BEVERAGE VEHICLE

| WEIGHT (without batteries) | |
|---|--------|
| LENGTH | |
| LENGTH (rear deck) | |
| WIDTH (at rear wheels) | |
| HEIGHT (at steering wheel) | |
| HEIGHT (at deck) | |
| HEIGHT (at top if equipped) | |
| FLOOR HEIGHT | |
| GROUND CLEARANCE (at differential) | |
| SEAT HEIGHT | |
| WHEEL BASE | |
| WHEEL TREAD | |
| TURNING CLEARANCE DIAMETER22.0 FT. (6.7 m) | |
| INTERSECTING AISLE CLEARANCE | |
| TIRES | |
| TIRE PRESSURE 50 P.S.I. Cold (344.0 kPa) | |
| LOAD CAPACITY (including operator, passengers | |
| cargo and accessories) | |
| SPEED | |
| CHASSIS Welded high yield strength tubular steel | |
| BODYWhite fiberglass reinforced plastic | |
| SAFETY | ip and |
| hip restraints, reverse warning indicator, 'deadman' accel | erator |
| control, manual forward and reverse switch with "neutral" | |
| LIGHTING PACKAGE | lights |
| STEERING WHEEL | r, and |
| FRONT SUSPENSIONHeavy duty multiple leaf springs | |
| REAR SUSPENSION Heavy duty multiple leaf springs with hydraulic shock absorbed. | rhore |
| STEERING | ibeis |
| CENTER CONSOLE | |
| SEATING Fabric backed vinyl over cushion foam | |
| BRAKES | |
| MOTOR | |
| BATTERIES | |
| CHARGER | |

ELECTRIC PERSONNEL CARRIER XI-775

TWO PASSENGER PERSONNEL/CARGO TRUCK

| WEIGHT (without batteries) | 775 LBS. (352.0 kg) |
|--|--|
| LENGTH (total) | |
| LENGTH (from bulkhead) | |
| WIDTH (at rear bumper) | |
| HEIGHT (at steering wheel) | |
| HEIGHT (at deck) | |
| HEIGTH (at bulkhead) | |
| GROUND CLEARANCE (at differential) | 5.0 IN. (12.7 cm) |
| WHEEL BASE | 53.0 IN. (134.6 cm) |
| TURNING CLEARANCE DIAMETER | 234 IN. (594.4 cm) |
| INTERSECTING AISLE CLEARANCE | 77.0 IN. (195.6 cm) |
| TIRES | |
| TIRE PRESSURE | 60 P.S.I. Cold (412.8 kPa) |
| LOAD CAPACITY (including operator, passengers, | |
| cargo and accessories) | |
| CARGO DECK WIDTH | |
| CARGO DECK LENGTH | |
| SPEED | |
| CHASSIS | |
| BODY | |
| SAFETY | Removable switch key, electric horn, brake lights, handgrip and |
| | hip restraints, reverse warning indicator, 'deadman' accelerator control, manual forward and reverse switch with "neutral" |
| LIGHTING PACKAGE | |
| | Molded high impact plastic, dual handgrips, pencil holder, and |
| STEEMING WITCH | clipboard |
| CARGO DECK | |
| FRONT SUSPENSION | Heavy duty multiple leaf springs |
| REAR SUSPENSION | |
| STEERING | |
| SEATING | Fabric backed vinyl over cushion foam |
| BRAKES | |
| MOTOR | 6.5 HP AT 1,500 r.p.m. Solid State Speed Control |
| BATTERIES | |
| CHARGER | Onboard Total Charge III |
| UNDERWRITERS LABORATORY (UL) | Approved |

ELECTRIC PERSONNEL CARRIER XI-875

TWO PASSENGER PERSONNEL/CARGO TRUCK

| WEICHT (without batteries) | WEIGHT (without batteries) | 005 LPS (451 0 kg) |
|---|-------------------------------|--|
| LENGTH (intom bulkhead) | | |
| LENGTH (internal storage) | | |
| WIDTH (internal storage) | | |
| WDTH (Internal storage) | | |
| HEIGHT (at steering wheel) | | |
| HEIGHT (internal storage) | | |
| HEIGHT (internal storage) | | |
| HEIGHT (at bulkhead) | | |
| GROUND CLEARANCE (at differential) 5.0 IN. (12.7 cm) WHEEL BASE 53.0 IN. (13.4.6 cm) TURNING CLEARANCE DIAMETER 234 IN. (59.4.4 cm) INTERSECTING AISLE CLEARANCE 77.0 IN. (195.6 cm) TIRES 18.5 x 8.5 x 8 TIRE PRESSURE 50 P.S.I. Cold (344.0 kPa) LOAD CAPACITY (including operator, passengers, cargo and accessories) 3,000.0 LBS. (1,362.4 kg) CARGO DECK WIDTH 44.0 IN. (111.8 cm) CARGO DECK LENGTH 72.0 IN. (182.9 cm) SPEED 12 m.p.h (19.3 km/h) CHASSIS Welded high yield strength tubular steel BODY Heavy duty four-way diamond pattern tread plate body panels SAFETY Removable switch key, electric horn, brake lights, handgrip and hip restraints, reverse warning indicator, 'deadman' accelerator control, manual forward and reverse switch with "neutral" LIGHTING PACKAGE Dual halogen headlights, taillights and brake lights STEERING WHEEL Molded high impact plastic, dual handgrips, pencil holder, and clipboard CARGO DECK Removable for access to drive package FRONT SUSPENSION Heavy duty multiple leaf springs REAR SUSPENSION Heavy duty multiple leaf springs with hydraulic shock absorbers STEERING Dual rear wheel hydraulic drum brakes MOTOR 6, Six volt, 220 AH CHARGER Onboard Total Charge III | | |
| WHEEL BASE | | |
| TURNING CLEARANCE DIAMETER | | |
| INTERSECTING AISLE CLEARANCE 77.0 IN. (195.6 cm) TIRES 18.5 x 8.5 x 8 TIRE PRESSURE 50 P.S.I. Cold (344.0 kPa) LOAD CAPACITY (including operator, passengers, cargo and accessories) 3,000.0 LBS. (1,362.4 kg) CARGO DECK WIDTH 44.0 IN. (111.8 cm) CARGO DECK LENGTH 72.0 IN. (182.9 cm) SPEED 12 P.M. (193.8 km/h) CHASSIS Welded high yield strength tubular steel BODY Heavy duty four-way diamond pattern tread plate body panels SAFETY Removable switch key, electric horn, brake lights, handgrip and hip restraints, reverse warning indicator, 'deadman' accelerator control, manual forward and reverse switch with "neutral" LIGHTING PACKAGE Dual halogen headlights, taillights and brake lights STEERING WHEEL Molded high impact plastic, dual handgrips, pencil holder, and clipboard CARGO DECK Removable for access to drive package FRONT SUSPENSION Heavy duty multiple leaf springs REAR SUSPENSION Heavy duty multiple leaf springs with hydraulic shock absorbers STEERING Double reduction rack and pinion SEATING Fabric backed vinyl over cushion foam BRAKES Dual rear wheel hydraulic drum brakes MOTOR 6, Six volt, 220 AH CHARGER Onboard Total Charge III | | |
| TIRES | INTERSECTING AISI E OLEADANGE | 234 IN. (394.4 CIII) |
| TIRE PRESSURE LOAD CAPACITY (including operator, passengers, cargo and accessories) CARGO DECK WIDTH CARGO DECK LENGTH 72.0 IN. (182.9 cm) SPEED 12 m.p.h (19.3 km/h) CHASSIS Welded high yield strength tubular steel BODY Heavy duty four-way diamond pattern tread plate body panels SAFETY Removable switch key, electric horn, brake lights, handgrip and hip restraints, reverse warning indicator, 'deadman' accelerator control, manual forward and reverse switch with "neutral" LIGHTING PACKAGE Dual halogen headlights, taillights and brake lights STEERING WHEEL Molded high impact plastic, dual handgrips, pencil holder, and clipboard CARGO DECK Removable for access to drive package FRONT SUSPENSION Heavy duty multiple leaf springs REAR SUSPENSION Heavy duty multiple leaf springs with hydraulic shock absorbers STEERING Double reduction rack and pinion SEATING Fabric backed vinyl over cushion foam BRAKES Dual rear wheel hydraulic drum brakes MOTOR BATTERIES 6, Six volt, 220 AH CHARGER Onboard Total Charge III | | · |
| LOAD CAPACITY (including operator, passengers, cargo and accessories) CARGO DECK WIDTH CARGO DECK LENGTH SPEED CHASSIS Welded high yield strength tubular steel BODY Heavy duty four-way diamond pattern tread plate body panels SAFETY Removable switch key, electric horn, brake lights, handgrip and hip restraints, reverse warning indicator, 'deadman' accelerator control, manual forward and reverse switch with "neutral" LIGHTING PACKAGE Dual halogen headlights, taillights and brake lights STEERING WHEEL CARGO DECK Removable for access to drive package FRONT SUSPENSION Heavy duty multiple leaf springs REAR SUSPENSION Heavy duty multiple leaf springs with hydraulic shock absorbers STEERING Double reduction rack and pinion SEATING Fabric backed vinyl over cushion foam BRAKES Dual rear wheel hydraulic drum brakes MOTOR 6.5 HP AT 1,500 r.p.m. Solid State Speed Control BATTERIES 6, Six volt, 220 AH CHARGER | | |
| CARGO DECK WIDTH | | 50 P.S.I. Cold (344.0 KPa) |
| CARGO DECK WIDTH | cargo and accessories) | 3 000 0 LBS (1 362 4 kg) |
| CARGO DECK LENGTH | | |
| SPEED | | |
| CHASSIS | | |
| BODY | | |
| SAFETY | | |
| hip restraints, reverse warning indicator, 'deadman' accelerator control, manual forward and reverse switch with "neutral" LIGHTING PACKAGE Dual halogen headlights, taillights and brake lights STEERING WHEEL Molded high impact plastic, dual handgrips, pencil holder, and clipboard CARGO DECK Removable for access to drive package FRONT SUSPENSION Heavy duty multiple leaf springs REAR SUSPENSION Heavy duty multiple leaf springs with hydraulic shock absorbers STEERING Double reduction rack and pinion SEATING Fabric backed vinyl over cushion foam BRAKES Dual rear wheel hydraulic drum brakes MOTOR 6.5 HP AT 1,500 r.p.m. Solid State Speed Control BATTERIES 6, Six volt, 220 AH CHARGER Onboard Total Charge III | CAEETV | Demographs awitch key, electric here, broke lights, handeric and |
| CARGO DECK | SAFETT | hip restraints reverse warning indicator 'deadman' accelerator |
| LIGHTING PACKAGE STEERING WHEEL Molded high impact plastic, dual handgrips, pencil holder, and clipboard CARGO DECK Removable for access to drive package FRONT SUSPENSION Heavy duty multiple leaf springs REAR SUSPENSION Heavy duty multiple leaf springs with hydraulic shock absorbers STEERING Double reduction rack and pinion SEATING Fabric backed vinyl over cushion foam BRAKES Dual rear wheel hydraulic drum brakes MOTOR 6.5 HP AT 1,500 r.p.m. Solid State Speed Control BATTERIES 6, Six volt, 220 AH CHARGER Onboard Total Charge III | | control, manual forward and reverse switch with "neutral" |
| STEERING WHEEL Molder, and clipboard CARGO DECK Removable for access to drive package FRONT SUSPENSION Heavy duty multiple leaf springs REAR SUSPENSION Heavy duty multiple leaf springs with hydraulic shock absorbers STEERING Double reduction rack and pinion SEATING. Fabric backed vinyl over cushion foam BRAKES Dual rear wheel hydraulic drum brakes MOTOR 6.5 HP AT 1,500 r.p.m. Solid State Speed Control BATTERIES 6, Six volt, 220 AH CHARGER Onboard Total Charge III | LIGHTING PACKAGE | |
| CARGO DECK | STEERING WHEEL | Molded high impact plastic, dual handgrips, pencil holder, and |
| FRONT SUSPENSION Heavy duty multiple leaf springs REAR SUSPENSION Heavy duty multiple leaf springs with hydraulic shock absorbers STEERING Double reduction rack and pinion SEATING. Fabric backed vinyl over cushion foam BRAKES Dual rear wheel hydraulic drum brakes MOTOR 6.5 HP AT 1,500 r.p.m. Solid State Speed Control BATTERIES 6, Six volt, 220 AH CHARGER Onboard Total Charge III | | clipboard |
| REAR SUSPENSION. Heavy duty multiple leaf springs with hydraulic shock absorbers STEERING. Double reduction rack and pinion SEATING. Fabric backed vinyl over cushion foam BRAKES. Dual rear wheel hydraulic drum brakes MOTOR. 6.5 HP AT 1,500 r.p.m. Solid State Speed Control BATTERIES 6, Six volt, 220 AH CHARGER Onboard Total Charge III | CARGO DECK | Removable for access to drive package |
| STEERING Double reduction rack and pinion SEATING Fabric backed vinyl over cushion foam BRAKES Dual rear wheel hydraulic drum brakes MOTOR 6.5 HP AT 1,500 r.p.m. Solid State Speed Control BATTERIES 6, Six volt, 220 AH CHARGER Onboard Total Charge III | FRONT SUSPENSION | Heavy duty multiple leaf springs |
| SEATING | REAR SUSPENSION | Heavy duty multiple leaf springs with hydraulic shock absorbers |
| BRAKES | STEERING | Double reduction rack and pinion |
| MOTOR | SEATING | Fabric backed vinyl over cushion foam |
| MOTOR | BRAKES | Dual rear wheel hydraulic drum brakes |
| BATTERIES | | |
| CHARGER Onboard Total Charge III | | |
| | | |
| | | |

ELECTRIC PERSONNEL CARRIER XI-875P

FOUR PASSENGER PERSONNEL/CARGO TRUCK

| WEIGHT (without batteries) | |
|--|--|
| LENGTH (total) | |
| LENGTH (from front bulkhead) | 66.5 IN. (168.9 cm) |
| LENGTH (from second seat) | 29.5 IN. (74.9 cm) |
| WIDTH (at rear bumper) | 44.0 IN. (111.8 cm) |
| HEIGHT (at steering wheel) | 47.0 IN. (119.4 cm) |
| HEIGHT (at deck) | 25.5 IN. (64.8 cm) |
| HEIGHT (at second seat) | 41.5 IN. (105.4 cm) |
| GROUND CLEARANCE (at differential) | 5.0 IN. (12.7 cm) |
| WHEEL BASE | |
| TURNING CLEARANCE DIAMETER | 234 IN. (594.4 cm) |
| INTERSECTING AISLE CLEARANCE | 85.0 IN. (215.9 cm) |
| TIRES | 18.5 x 8.5 x 8 |
| TIRE PRESSURE | 50 P.S.I. Cold (344.0 kPa) |
| LOAD CAPACITY (including operator, passengers, | |
| cargo and accessories) | |
| CARGO DECK WIDTH | |
| CARGO DECK LENGTH (seat in up position) | |
| CARGO DECK LENGTH (seat in down position) | 66.0 IN. (145.3 cm) |
| SPEED | 12 m.p.h (19.3 km/h) |
| CHASSIS | Welded high yield strength tubular steel |
| BODY | Heavy duty four-way diamond pattern tread plate body panels |
| SAFETY | Removable switch key, electric horn, brake lights, handgrip and hip restraints, reverse warning indicator, 'deadman' accelerator control, manual forward and reverse switch with "neutral" |
| LIGHTING PACKAGE | |
| STEERING WHEEL | Molded high impact plastic, dual handgrips, pencil holder, and clipboard |
| CARGO DECK | Removable for access to drive package |
| FRONT SUSPENSION | |
| REAR SUSPENSION | |
| STEERING | |
| SEATING | |
| BRAKES | Dual rear wheel hydraulic drum brakes |
| MOTOR | |
| BATTERIES | 6, Six volt, 220 AH |
| CHARGER | |
| UNDERWRITERS LABORATORY (UL) | |

ELECTRIC PERSONNEL CARRIER XI-881

TWO PASSENGER PERSONNEL/CARGO TRUCK

| WEIGHT (without batteries) | . 995 LBS. (451.0 kg) |
|--|---|
| LENGTH | . 118.0 IN. (299.72 cm) |
| WIDTH (at rear bumper) | 44.0 IN. (111.76 cm) |
| HEIGHT (at steering wheel) | |
| GROUND CLEARANCE (at differential) | 5.0 IN. (12.7 cm) |
| WHEEL BASE | |
| TURNING CLEARANCE DIAMETER | |
| INTERSECTING AISLE CLEARANCE | 77.0 IN. (195.6 cm) |
| TIRES | |
| TIRE PRESSURE | 50 P.S.I. Cold (344.0 kPa) |
| LOAD CAPACITY (including operator, passengers, | |
| cargo and accessories) | |
| CARGO DECK WIDTH | |
| CARGO DECK LENGTH | , |
| SPEED | |
| CHASSIS | |
| BODY | |
| SAFETY | Hemovable switch key, electric horn, brake lights, handgrip and hip restraints, reverse warning indicator, 'deadman' accelerator control, manual forward and reverse switch |
| LIGHTING PACKAGE | . Dual halogen headlights, taillights and brake lights |
| STEERING WHEEL | |
| | clipboard |
| CARGO DECK | |
| FRONT SUSPENSION | |
| REAR SUSPENSION | |
| STEERING | |
| CENTER CONSOLE | |
| SEATING | |
| BRAKES | |
| MOTOR | |
| BATTERIES | |
| CHARGER | |
| UNDERWRITERS LABORATORY (UL) | Approved |



E-Z-GO Division of Textron Inc. P.O. Box 388 Augusta, Georgia 30903-0388 Telephone 1-800-241-5855

Copyright 1994
This manual may not be reproduced in whole or in part without the express permission of E-Z-GO Division of Textron Inc.
Technical Communications Department